

OVALO GI SCREWLOCK

anodized

Art.no.: KA11B-B-GI



This carabiner finds its optimal position in every situation, thus never compromising its maximum strength. There is hardly any possibility that this carabiner turns on its side and is weighted in the dangerous cross wise direction. The round profile at the upper and lower ends optimizes the rope handling.


Special Features of the oval shaped OVALO GI are its red visual safety band [Gate Red] and a unique identification number [ID].

use cases:

sports climbing, ice climbing, mountain sports, canyoning, PPE

Technical specifications

body	Material: aluminium Color: azure Finish: anodized
gate	Material: aluminium Color: colorless Finish: polished
sleeve	Material: steel Color: black Finish: ktl coated
Weight	69 g
Length	105 mm
Width	56 mm
Min. breaking load in longitudinal direction	24 kN

Min. breaking load in the minor axis	10 kN
Min. breaking load with open gate	7 kN
Lock	screw lock
Features	ID+GateRed
Gate opening	19 mm
Country of origin	Austria
Color variations	 <p>schwarz [Art.no.: KA11B-Z-GI] anthrazit [Art.no.: KA11B-G-GI] rot [Art.no.: KA11B-R-GI]</p>
Standards	EN 12275:2013 (B), EN 362:2004 (B), UIAA 121

