

GOLD FISH AMPLIFIED BRAKING DEVICE SET

incl. HMS RONDO Slide Autolock with Selfie, hard-coated

Art.no.: AB24Y-SET



A second, even more robust version of the well established FISH amplified braking device adds more to the name GOLD FISH than just it's color. Just like the FISH, the GOLD FISH comes as a set: The belay device is available in eye-catching gold with the standard anodized coating. The HMS RONDO Slide Autolock Selfie is hard-coated, a specialized anodized coating. Thanks to its double strength and higher base-hardness, this coating offers higher robustness and therefore a much longer lifetime - perfect for frequent use.

Weighing in at an unrivaled 68 g the GOLD FISH is an amplified braking device set for single ropes with a diameter of 8-11mm which securely catches each fall. Pulling out on the unique dorsal lever to release the rope brings you smoothly back to solid ground. The hybrid belay comes with the HMS RONDO Slide Autolock carabiner Selfie. This carabiner meets all expectations concerning easy handling and tangible safety: Forget inconvenient screwing or turning of the gate! The carabiner can be opened easily by just pushing the embedded brass slider. The gate automatically locks when releasing the slider. Through the embedded positioning of the button, it's not possible to open the gate unintendedly. In addition, the Selfie twist protection captures the belay loop and keeps the carabiner in place to ensure optimal function of the belay device.


The safe yet easy handling make this amplified braking device set perfect especially for children and other climbers that are looking for a hassle-free and durable belay device.

use cases:

sports climbing

Technical specifications

BRAKING DEVICE	Material: aluminium Color: gold Finish: anodized
LEVER	Material: aluminium Color: colorless Finish: anodized

CARABINER	Material: aluminium Color: black Finish: hard-coated
GATE	Material: aluminium Color: black Finish: anodized
WEIGHT	156 g
LENGTH	53 mm
WIDTH	120 mm
RECOMM. ROPE DIAMETER	8,0 - 11,0 mm
GATE OPENING	26 mm
COUNTRY OF ORIGIN	Austria
EAN CODE	9006381013067
 Patented	
STANDARDS	EN 15151-2:2012, EN 12275:2013 (H), EN 362:2004 (B), UIAA 129, UIAA 121

