COBRA® NAUTIC
STAINLESS STEEL

45 mm
Art.no.: FI45AVF



Made of stainless steel and designed for ultimate safety performance in the most severe oxidizing environments. Ideal for application like offshore rigging, navy, coast guard,scuba, marine hardware, bosun supplies, yachting, and whatever or wherever else nature demands the ultimate in performance.


use cases:
PPE, Fashion, air sports, tactical, equipment

Technical specifications

BODY	**Material:** stainless steel **Color:** colorless **Finish:** polished
CLIPS	**Material:** stainless steel **Color:** colorless **Finish:** polished
BAR	**Material:** stainless steel **Color:** colorless **Finish:** polished
BREAKING LOAD TENSILE STRENGTH	9 kN
BREAKING LOAD LOOP CONFIGURATION	18 kN
WEIGHT	109 g
RECOMM. WEBBING WIDTH MALE PART	45 mm
RECOMM. WEBBING WIDTH FEMALE PART	45 mm
SLOT WIDTH MALE PART	16 mm
SLOT WIDTH FEMALE PART	5 mm

OUTER DIMENSION LENGTH	76 mm
OUTER DIMENSION WIDTH	65 mm
OUTER DIMENSION DEPTH	8 mm
WEBBING SLOT MALE PART	adjustable
WEBBING SLOT FEMALE PART	non-adjustable
SIZE OF CLIPS	standard
COUNTRY OF ORIGIN	Austria
Patented	
STANDARDS	MIL-STD-810F Method 509.4, EN358:2018-11 (partial), EN ISO 9227, ISO 12402-7-2020


Ser. No.
NAUTIC
Ser. No.
Ser. No.
AUSTRIALPIN
Ser. No.
NAUTIC


65 mm
5 mm
16 mm
76 mm
COBRA
SCHEMATIC MODEL
COBRA
PAT.
PAT. PEND.
AUSTRIALPIN
45 mm
8 mm