

## COBRA® FM RETROFIT RNR ALUMINIUM

**20 mm, standard clips**

Art.no.: FM20KVF-RR



The COBRA® FM Retrofit RnR is based on our patented COBRA® Quick Release technology for a secure lock. It is equipped with a brand-new Repair and Replace (RnR) feature. The clever slot on the main part makes it easy to replace a worn-out or broken buckle in your webbing loop. Quick, easy, and hassle-free.

The COBRA® FM Retrofit RnR is a perfect technical element for retrofitting your backpacks, bags, belts, tents, and all sorts of fastening straps. It is light, compact, stable and reliable.

The new RnR function does not affect the breaking strength of the buckle. Due to its lightweight design, the buckle is not intended for load-bearing applications (no PPE).

### Features:

- Remove the worn-out or damaged buckle.
- Insert the webbing loop into the slot at the female part of buckle.
- Use the adjuster bar on the male part of the buckle to thread it into the webbing.
- Snap it in place.
- And you are ready to go!

### use cases:

equipment, Fashion, tactical

## Technical specifications

<b>BODY</b>	<b>Material:</b> aluminium <b>Color:</b> black <b>Finish:</b> ktl-coated
<b>CLIPS</b>	<b>Material:</b> brass <b>Color:</b> colorless <b>Finish:</b> polished
<b>BAR</b>	<b>Material:</b> aluminium <b>Color:</b> colorless <b>Finish:</b> polished

<b>BREAKING LOAD TENSILE STRENGTH</b>	2 kN
<b>WEIGHT</b>	18 g
<b>RECOMM. WEBBING WIDTH MALE PART</b>	20 mm
<b>RECOMM. WEBBING WIDTH FEMALE PART</b>	20 mm
<b>SLOT WIDTH MALE PART</b>	11 mm
<b>SLOT WIDTH FEMALE PART</b>	4 mm
<b>OUTER DIMENSION LENGTH</b>	46 mm
<b>OUTER DIMENSION WIDTH</b>	33 mm
<b>OUTER DIMENSION DEPTH</b>	7 mm
<b>WEBBING SLOT MALE PART</b>	adjustable
<b>WEBBING SLOT FEMALE PART</b>	retrofit RnR, non-adjustable
<b>SIZE OF CLIPS</b>	standard
<b>COUNTRY OF ORIGIN</b>	Austria

**Patented**

