COBRA® FM RETROFIT RNR
ALUMINIUM

20 mm, standard clips
Art.no.: FM20KVF-RR



The COBRA® FM Retrofit RnR is based on our patented COBRA® Quick Release technology for a secure lock. It is equipped with a brand-new Repair and Replace (RnR) feature. The clever slot on the main part makes it easy to replace a worn-out or broken buckle in your webbing loop. Quick, easy, and hassle-free.

The COBRA® FM Retrofit RnR is a perfect technical element for retrofitting your backpacks, bags, belts, tents, and all sorts of fastening straps. It is light, compact, stable and reliable.

The new RnR function does not affect the breaking strength of the buckle. Due to its lightweight design, the buckle is not intended for load-bearing applications (no PPE).

Features:

- Remove the worn-out or damaged buckle.
- Insert the webbing loop into the slot at the female part of buckle.
- Use the adjuster bar on the male part of the buckle to thread it into the webbing.
- Snap it in place.
- And you are ready to go!

use cases:
equipment, Fashion, tactical

Technical specifications


BODY	**Material:** aluminium **Color:** black **Finish:** ktl-coated
CLIPS	**Material:** brass **Color:** colorless **Finish:** polished
BAR	**Material:** aluminium **Color:** colorless **Finish:** polished

BREAKING LOAD TENSILE STRENGTH	2 kN
WEIGHT	18 g
RECOMM. WEBBING WIDTH MALE PART	20 mm
RECOMM. WEBBING WIDTH FEMALE PART	20 mm
SLOT WIDTH MALE PART	11 mm
SLOT WIDTH FEMALE PART	4 mm
OUTER DIMENSION LENGTH	46 mm
OUTER DIMENSION WIDTH	33 mm
OUTER DIMENSION DEPTH	7 mm
WEBBING SLOT MALE PART	adjustable
WEBBING SLOT FEMALE PART	retrofit RnR, non-adjustable
SIZE OF CLIPS	standard
COUNTRY OF ORIGIN	Austria

Patented






33 mm
4 mm
11 mm
46 mm
20 mm
7 mm
COBRA
SCHEMATIC MODEL
COBRA
PAT.
PAT. PEND.
AUSTRIALPIN