COBRA® NG

POLYMER

25 mm female part, black standard clips

Art.no.: FN25WF-MM



The COBRA® NG QUICK RELEASE is a safety buckle equipped with an innovative Triple Lock System. It is manufactured from high-strength polymer in an injection molding process. Its special design makes it extremely robust and resilient.

For opening the triple lock mechanism: 1. Squeeze clips 2. press the buckle together and 3. lift it upwards.

This version of a female COBRA® NG is intended for 45 mm webbing width. This part is non-adjustable, the webbing needs to be sewn in.

Features:

- Female and male part of the COBRA® NG buckle are designed to interlock. This interlocking is a form-fitting connection, meaning the parts are shaped to match each other and fit together tightly. Because of this design, the locking mechanism itself does not have to bear any of the load or stress. Instead, the load is distributed through the interlocking parts, ensuring a more secure and durable connection.
- A release under tension is impossible.
- The special lock makes the two parts effortlessly snap into place.
- Locking is confirmed by a distinct “clicking” sound.
- All sizes and variants of the COBRA® NG are compatible.

use cases:
equipment, Fashion, tactical

Technical specifications

BODY	**Material:** polymer **Color:** black
CLIPS	**Material:** polymer **Color:** black
WEIGHT	12 g
RECOMM. WEBBING WIDTH FEMALE PART	25 mm

SLOT WIDTH FEMALE PART	4 mm
OUTER DIMENSION LENGTH	42 mm
OUTER DIMENSION WIDTH	47 mm
OUTER DIMENSION DEPTH	16 mm
WEBBING SLOT FEMALE PART	non-adjustable
SIZE OF CLIPS	standard
COUNTRY OF ORIGIN	Austria
Patented	








25 MM MALE AND FEMALE PART



HYBRID – COMBINATION OF
25 MM MALE AND 45 MM FEMALE PART



HYBRID – COMBINATION OF
45 MM MALE AND 25 MM FEMALE PART


47 mm
4 mm
0 mm
42 mm
0 mm
16 mm
COBRA
SCHEMATIC MODEL
COBRA
PAT.
PAT. PEND.
AUSTRIALPIN