SUPER COBRA®
ALUMINIUM

45 mm, XL clips
Art.no.: FS45KVF-XL



Our strongest COBRA® buckle was designed to secure heavy vehicle load safely. The patented locking bolt on the adjustable part stabilizes the webbing and prevents it from damage. The SUPER COBRA® guarantees you 46 kN breaking strength in loop configuration.

use cases:
PPE, Fashion, air sports, tactical, equipment


Technical specifications

BODY	**Material:** aluminium **Color:** black **Finish:** ktl-coated
CLIPS	**Material:** brass **Color:** colorless **Finish:** polished
LOCKING BOLT	**Material:** aluminium **Color:** colorless **Finish:** anodized
BREAKING LOAD TENSILE STRENGTH	23 kN
BREAKING LOAD LOOP CONFIGURATION	46 kN
WEIGHT	160 g
RECOMM. WEBBING WIDTH MALE PART	45 mm
RECOMM. WEBBING WIDTH FEMALE PART	45 mm
SLOT WIDTH MALE PART	23 mm
SLOT WIDTH FEMALE PART	8 mm

OUTER DIMENSION LENGTH	83 mm
OUTER DIMENSION WIDTH	65 mm
OUTER DIMENSION DEPTH	14 mm
WEBBING SLOT MALE PART	adjustable
WEBBING SLOT FEMALE PART	non-adjustable
SIZE OF CLIPS	XL
COUNTRY OF ORIGIN	Austria
Patented	
STANDARDS	EN ISO 9227






65 mm
8 mm
23 mm
83 mm
COBRA
SCHEMATIC MODEL
COBRA
PAT.
PAT. PEND.
AUSTRIALPIN
45 mm
14 mm