

## COBRA® PRO STYLE

50 mm

Art.no.: FY50KVV-XL



The COBRA® PRO STYLE is a buckle that meets the highest safety requirements for its users, as it can only be opened when released by pressing both clips at the same time. The locking mechanism thereby allows easy engagement of the interlocking components, which is confirmed by a distinct clicking sound. One-sided locking is nearly impossible.

The locking mechanism of the COBRA® PRO STYLE is an evolution of the COBRA® THE ORIGINAL which guarantees an even safer application. In addition, a larger cut-out on the backside of the COBRA® PRO STYLE prevents dirt, dust, ice or snow from getting caught in the buckle, which increases its performance capabilities and lifetime even more.

All COBRA® PRO STYLE sizes are mutually compatible. In combination with a fitting webbing, the minimum guaranteed load capacity is 18 kN in loop configuration.

### use cases:

PPE, Fashion, air sports, tactical, equipment

## Technical specifications

<b>BODY</b>	<b>Material:</b> aluminium <b>Color:</b> black <b>Finish:</b> ktl coated
<b>CLIPS</b>	<b>Material:</b> brass <b>Color:</b> colorless <b>Finish:</b> polished
<b>BAR</b>	<b>Material:</b> stainless steel <b>Color:</b> colorless <b>Finish:</b> polished
<b>BREAKING LOAD TENSILE STRENGTH</b>	9 kN
<b>BREAKING LOAD LOOP CONFIGURATION</b>	18 kN
<b>WEIGHT</b>	95 g

<b>RECOMM. WEBBING WIDTH MALE PART</b>	50 mm
<b>RECOMM. WEBBING WIDTH FEMALE PART</b>	50 mm
<b>SLOT WIDTH MALE PART</b>	12 mm
<b>SLOT WIDTH FEMALE PART</b>	12 mm
<b>OUTER DIMENSION LENGTH</b>	74 mm
<b>OUTER DIMENSION WIDTH</b>	63 mm
<b>OUTER DIMENSION DEPTH</b>	10 mm
<b>TECHNICAL DESIGN MALE PART</b>	adjustable
<b>TECHNICAL DESIGN FEMALE PART</b>	adjustable
<b>SIZE OF CLIPS</b>	XL
<b>COUNTRY OF ORIGIN</b>	Austria
 <b>Patented</b>	
<b>STANDARDS</b>	EN358:2018-11 (partial), EN ISO 9227



