COBRA® SPECIAL DESIGNS

PRO STYLE COMPACT, ALUMINIUM

incl. 2 x 25 mm female parts
Art.no.: FY56KFF-T25K+L



The COBRA® PRO STYLE Compact consists of a T-piece and two COBRA® PRO STYLE female parts, directly connected to the plate by means of two male connectors. It lets you quickly and securely connect straps coming from three sides.

The T connector plate is compatible with COBRA® PRO STYLE only.


use cases:
PPE, Fashion, air sports, tactical, equipment

Technical specifications

BODY	**Material:** aluminium **Color:** black **Finish:** ktl-coated
CLIPS	**Material:** brass **Color:** colorless **Finish:** polished
T-PART	**Material:** aluminium **Color:** black **Finish:** ktl-coated
BREAKING LOAD TENSILE STRENGTH	9 kN
BREAKING LOAD LOOP CONFIGURATION	18 kN
WEIGHT	80 g
RECOMM. WEBBING WIDTH MALE PART	25 mm
RECOMM. WEBBING WIDTH FEMALE PART	25 mm
SLOT WIDTH MALE PART	4 mm

SLOT WIDTH FEMALE PART	4 mm
OUTER DIMENSION LENGTH	77 mm
OUTER DIMENSION WIDTH	86 mm
OUTER DIMENSION DEPTH	10 mm
WEBBING SLOT MALE PART	non-adjustable
WEBBING SLOT FEMALE PART	non-adjustable
SIZE OF CLIPS	standard
COUNTRY OF ORIGIN	Austria
Patented	
STANDARDS	EN ISO 9227




86 mm
4 mm
4 mm
77 mm
COBRA
SCHEMATIC MODEL
COBRA
PAT.
PAT. PEND.
AUSTRIALPIN
25 mm
10 mm