

OVALO

GI SCREWLOCK WITH BRASS SLEEVE

aluminium, anodized

Art.no.: KA13B-G-GI




OVALO – the yogi among the carabiners: Its oval form benefits the optimal position of the carabiner along its transverse axis and thus reduces dangerous transverse loading in every situation. Additionally, the round profile prevents the build-up of sharp edges due to rope friction and allows a fluid rope management. The OVALO screwlock carabiner with smooth-running, corrosion-resistant brass sleeve. Thanks to a special milling at the thread, the screwlock has a unique self-cleaning process. Special features of the OVALO GI screwlock are its red visual safety band [Gate Red] and a unique identification number [ID].

use cases:

sports climbing, ice climbing, mountain sports, canyoning, PPE

Technical specifications


BODY	Material: aluminium Color: anthracite Finish: anodized
GATE	Material: aluminium Color: colorless Finish: polished
SLEEVE	Material: brass Color: colorless Finish: polished
WEIGHT	71 g
LENGTH	105 mm
WIDTH	56 mm
MIN. BREAKING LOAD IN LONGITUDINAL DIRECTION	24 kN
MIN. BREAKING LOAD IN THE MINOR AXIS	10 kN

MIN. BREAKING LOAD WITH OPEN GATE	7 kN
LOCK	screwlock
FEATURES	ID+GateRed
GATE OPENING	19 mm
COUNTRY OF ORIGIN	Austria
EAN CODE	9006381013661
COLOR VARIATIONS	 <p>azure [Art.no.: KA13B-B-GI]</p> <p>red [Art.no.: KA13B-R-GI]</p> <p>black [Art.no.: KA13B-Z-GI]</p>
STANDARDS	EN 12275:2013 (B), EN 362:2004 (B), UIAA 121



UNIQUE IDENTIFICATION NUMBER (ID)



- ← ID# KA 01234 letter 1 and 2 of article no. / unique number
- ←  XX/XXXX month/year of production
- ← EN 362-B additional norm marking