

OVALO

OVALOCK

push & open

Art.no.: KA65B-X



The intuitive lock only allows two options: open or closed. The bar is made out of molded reinforced fibre glass plastic and effectively separates the carabiner into two distinct sections - thus eliminating the dangers of cross loading. No screwing, no weird handling: just push and open!

use cases:

sports climbing, ice climbing, mountain sports, canyoning, PPE, tactical

Technical specifications

BODY	Material: aluminium Color: matte black Finish: anodized
GATE	Material: aluminium Color: black Finish: anodized
LOCK	Material: polymer Color: black
WEIGHT	70 g
LENGTH	105 mm
WIDTH	65 mm

MIN. BREAKING LOAD IN LONGITUDINAL DIRECTION	24 kN
MIN. BREAKING LOAD IN THE MINOR AXIS	10 kN
MIN. BREAKING LOAD WITH OPEN GATE	7 kN
LOCK	Ovalock
GATE OPENING	18 mm
COUNTRY OF ORIGIN	Austria
EAN CODE	9006381004805
COLOR VARIATIONS	 bright green [Art.no.: KA65B-N]  yellow [Art.no.: KA65B-Y]
STANDARDS	EN 12275:2013 (B), EN 362:2004 (B), UIAA 121

