

FERR.DA TRIPLELOCK

stainless steel 40 kN

Art.no.: NW32A



The strong FERR.DA stainless steel carabiner is a reliable connector on the vertical. Its asymmetrical D-shape offers plenty of space for numerous connecting elements and complex rope structures.

This 3-way autolock model offers a high degree of safety. The triple -lock carabiner can only be opened by performing three successive actions: Lift the sleeve, twist it, and push in the gate. This makes unintentional opening virtually impossible, even in the event of strong movement, friction or snagging. Once the gate is released, it automatically locks.

With an impressive breaking load of 40 kN, the carabiner guarantees maximum stability and safety. The round cross-section ensures gentle rope guidance and reduces abrasion even under dynamic loads.

Manufactured in Austria from high-quality stainless steel with an aluminium sleeve, this carabiner features outstanding corrosion resistance and durability. It is a reliable partner for use in extreme conditions.

use cases:

PPE, equipment

Technical specifications

BODY	Material: stainless steel Color: colorless Finish: polished
GATE	Material: stainless steel Color: colorless Finish: polished
SLEEVE	Material: aluminium Color: azure Finish: anodized
WEIGHT	236 g
LENGTH	113 mm

WIDTH	70 mm
MIN. BREAKING LOAD IN LONGITUDINAL DIRECTION	40 kN
MIN. BREAKING LOAD IN THE MINOR AXIS	16 kN
MIN. BREAKING LOAD WITH OPEN GATE	12 kN
LOCK	3-way autolock
GATE OPENING	24 mm
COUNTRY OF ORIGIN	Austria
EAN CODE	9006381029211
STANDARDS	EN 12275:2013 (B), EN 362:2004 (M), UIAA 121

