




WORKBOOK
MOUNTAIN SPORTS



Finest manufactured climbing
and mountaineering hardware

Made in Tirol
Austria

2016 – 2017

WORKBOOK
MOUNTAIN SPORTS

Icons



26 kN



10 kN



10 kN

Bruchkraft Breaking Load

Garantierte Bruchlastwerte in Längs- und Querrichtung sowie bei offenem Schnapper. Min. breaking load in longitudinal direction, in the minor axis, and with open gate. Kilonewton [kN].



8 kN

Bruchkraft Breaking Load

Garantierte Bruchlastwerte für Seile und Bandmaterial. Guaranteed min. breaking load values for ropes, cords and slings. Kilonewton [kN].



72 g

Gewicht Weight

Gewicht in Gramm [g].
Weight in gram [g].



screwlock



autolock

Verschluss Lock

Verschlusskarabiner mit Schraubverschluss oder Autolock. Locking carabiners with screwlock or autolock.



100/66 mm

Maße Measurements

Größenangabe in Millimeter [mm], Zentimeter [cm] oder Meter [m]. Indication of size in millimeter [mm], centimeter [cm] or meter [m].



22 mm

Schnapperöffnung Gate Opening

Angabe der Schnapperöffnung in [mm]. Indication of gate opening in [mm].



8–11 mm

Seildurchmesser Rope Diameter

Seildurchmesser in [mm].
Rope diameter in [mm].



54–62 cm

Kopfumfang Circumference (head)

Kopfumfang in [cm].
Head circumference in [cm].



EN 12275



UIAA 121

Internat. Normen Standards

CEN: Comité Européen de Normalisation
UIAA: Union Internationale des Associations d'Alpinisme
ANSI: American National Standards Institute
CSA: Canadian Standards Association.



Made in
Made in

Herstellungsland.
Country of origin.



Neu
New

Anzeige neuer Produkte.
Indication of new products.



Owner, editor and publisher
AustriAlpin GmbH

Concept and realisation
© Bureau Rabensteiner

Product photography
Fred Einkemmer, Mike Rabensteiner,
Medialounge, H.P. Eberharter

Text
AustriAlpin & Julia Enghart

Print in Austria. 2016.

FairPrint by Grasl
environmentally friendly production,
paper from sustainable sources, colours
free of mineral oil

VERY SPECIAL THANKS to our team
athletes, photographers, and business
partners and to everyone else who
is, in one way or the other, part of the
AustriAlpin family!

All data are subject to change and are
provided without any guarantee.
Printing and layout errors excepted.

HEAD OFFICE
AustriAlpin GmbH
Industriezone C2a
6166 Fulpmes | Austria
T +43 (0) 5225 652 48 0
F +43 (0) 5225 652 48 2
office@austrialpin.at
www.austrialpin.at



**Liebe AustriAlpin Community, ihr haltet unser neues Workbook in der Hand. Es hat diesen Titel noch mehr verdient als seine Vorgänger, denn wir haben unserem Produktkatalog ein neues Layout verpasst und ihn übersichtlicher und händlerfreundlicher gestaltet. In diesem Katalog findet ihr unsere gesamte Produktpalette inklusive aller wichtigen technischen Informationen und mit einer umfassenden tabellarischen Datenübersicht in der Mitte des Workbooks. Auf Schnickschnack haben wir verzichtet. Und doch: Eine kleine Geschichte findet sich im Workbook. Es ist unsere Geschichte, die im Jahr 2016 genau 20 Jahre alt wird. Wir finden sie erzählenswert und freuen uns, wenn sie für euch lesenswert ist. Bitte umblättern.
— Euer Team von AustriAlpin**



Dear AustriAlpin Community, congratulations on your new AustriAlpin workbook. This time we simply called it "Workbook" and it deserves this title even more than its predecessor. We gave it a new layout and improved the structure in order to create a better tool for our retailers. You'll find nothing but our product portfolio including all relevant technical specifications and a comprehensive data collection in the middle of this workbook. Not entirely true, there is one story that we wanted to share with you. It is our story of AustriAlpin that turns 20 this year. We think it is worthwhile to let you know where and how AustriAlpin originated and hope you'll enjoy the story. Please turn the page.

— Your AustriAlpin team

DIE AUSTRIALPIN GESCHICHTE

Wir beginnen im hier und jetzt – als volljähriges Unternehmen, das rückblickend eine sehr positive Entwicklung vermelden darf. Wir haben unseren Firmensitz in Fulpmes im Stubaital zwischen den Hausbergen Serles, Elfer und den Kalkkögeln. Unsere Spezialität ist das Tüfteln und Testen mit höchstmöglichem Anspruch an Sicherheit im Bergsport. Mit innovativen technischen Produkten setzen wir auf Forschung und Entwicklung. Mit Erfolg: der neue FISH Autotuber präsentiert sich als erster Autotuber für Einfachseile mit zusätzlichem Ablasshebel, die Karabiner OVALOCK und FIFTY:FIFTY haben völlig neue Ansätze in puncto Verschlussmechanismen und die patentierte COBRA® Quick Release gilt als stärkste und sicherste Schnalle auf dem Markt. Rund um AustriAlpin und die Produktionsstätten in Fulpmes werden derzeit rund 80 Mitarbeiter beschäftigt, die nicht nur Know-how, sondern auch eine gute Portion Leidenschaft mitbringen. Auf wichtige Entwicklungen konzentrieren wir uns voll und ganz – von der Idee über die Umsetzung bis hin zur Markteinführung nehmen wir uns genügend Zeit. So präsentieren wir ausgereifte Produkte, die wir bereits ausgiebig im Testlabor und unter realen Bedingungen geprüft haben und die der strengen externen Kontrolle durch Prüfhäuser standgehalten haben. Wir setzen auf gesundes Wachstum und konzentrieren uns seit 20 Jahren und auch weiterhin auf unsere Kernkompetenz: die Metallverarbeitung. Diese ist fest auf Tiroler Boden verankert und das soll so bleiben. Mit dem Standort erreichen wir höchste Qualitätsansprüche, sichern Arbeitsplätze vor Ort, verzichten auf lange Lieferwege, fördern die Nachhaltigkeit und sind Fans der hohen österreichischen Umweltauflagen. Für unsere Produkte gilt: Made in Tirol.

Der Blick zurück ist Tradition: die Tiroler Bergwelt ist eine raue Welt, geprägt von langen Wintern, steilem Fels und harter Arbeit. Dazu gehört auch die Metallverarbeitung, die hier Geschichte schreibt. Bereits im 14. Jahrhundert existierten die ersten Schmieden in Fulpmes. Seit dem 17. Jahrhundert ist der Ruf der hochwertigen Eisenwaren über die Grenzen hinausgelangt und findet – damals wie heute – Abnehmer im Ausland. Im Jahr 1897 wurde die Fachschule für Eisen- und Stahlbearbeitung in Fulpmes gegründet und noch immer wird im Stubaital Metallverarbeitung an der Fachschule gelehrt. 1996 schlossen sich mehrere traditionelle, familiengeführte Handwerksbetriebe zusammen und gründeten AustriAlpin. Die Gründung des eigenen Vertriebes ermöglicht es dem Unternehmen, selbständig und ohne externe Vorgaben dem eigenen höchsten Qualitätsanspruch gerecht zu werden. In den Werken in Fulpmes werden heute rund 98 Prozent der Produkte von AustriAlpin hergestellt.

„Wir sind stolz auf unseren traditionsreichen Produktionsstandort Tirol. Wir möchten aber nicht zurückblicken, sondern die Marke mit Innovationsgeist und neuen Ideen vorantreiben. Unser Erfolg bestätigt uns dabei und zeigt, dass ein gesundes Wachstum auch mit lokaler Fertigung in Tirol möglich ist. Neben einem guten Gewissen schafft der Standort Flexibilität, kurze Transportwege und sichert ein hohes Maß an sozialer Verantwortung. Diese Werte sind neben höchsten Qualitätsansprüchen unsere Philosophie mit der wir am internationalen Outdoor-Markt einen festen Platz eingenommen haben.“ — Katrin Mark-Winkler, CEO



photocredit: Peter Manhartberger | location: Pinnistal, Stubai

AUSTRIALPIN STORY

We begin in the present. AustriAlpin has turned into an established company that can be proud of its origins and that made significant progress over the last 20 years. The headquarters are in Fulpmes, Austria, which is located in the Stubai Valley between the local mountains called Serles and Elfer and a mountain chain called Kalkkögel. Our specialty are innovative PPE products for people who are dependent on highest quality and safety standards. This passion shows in technical products like the new autotube FISH, which is the first autotube for single ropes with additional lowering lever, the patented carabiner clasp mechanism for our OVALOCK and FIFTY:FIFTY carabiners, or the patented COBRA® Quick Release, which is reckoned to be the safest and strongest one of its kind. AustriAlpin and its manufacturing facilities in Fulpmes are currently engaging about 80 staff members who are bringing priceless expertise and passion into the company. We focus on important product developments, from the idea to implementation and we take us enough time to make it right. We only present well-engineered products that are rigorously tested inhouse and under real conditions prior to obtaining additional testing from independent laboratories. We rely on healthy growth and concentrate on our core competence: metal processing. This craft is firmly established in Tirol and we plan to keep it that way. At our location we produce with highest industry standards, secure jobs, avoid long delivery channels, support sustainability and are fans of Austrian environment standards. For our products we guarantee: Made in Tirol.

Going back in time means to look back at local tradition: the mountains of Tirol are a rough place with a long winters and it used to be hard to make a living. That is one of the reasons why this area became well known for metal processing. The first forge in Fulpmes was officially listed in the 14th century. Since the 17th century the reputation of excellent metal products was established and they already started exporting into other countries. In the year of 1897 the college for Metal and Iron processing was founded in Fulpmes and until today these crafts are taught in the Stubai Valley. Out of this tradition AustriAlpin was founded in 1996, when several family owned craft businesses merged. Their goal was a company that is independent from external influence and can guarantee highest quality standards. About 98% of AustriAlpin's products are still produced in our manufacturing sites in Fulpmes.

"We are proud of our manufacturing site in Tirol and our history but we are not leaning back either. We want to develop the brand further with innovation and ideas. Our success is the proof for us that we can grow even if we keep our production local. This gives us not only a good conscience but flexibility and we can also ensure our social responsibility. These values and our high quality standards are the reason why we were able to establish our brand on the international outdoor market." — Katrin Mark-Winkler, CEO

photocredit: Klaus Kranebitter | climber: Benedikt Purner | location: Iceland



Quickdraws and Carabiners

Outdoor Equipment

Fashion

Ice

Products for TACTICAL & SAFETY on reverse side of this workbook starting with pg *1

Expressschlingen Quickdraws p 16

Karabiner Carabiners p 20

Sicherungsgeräte Belay p 32

Seile und Bandmaterial Ropes and Slings p 34

Chalk & Tapes Chalk & Tapes p 40

Helme Helmets p 42

Klettersteigsets Via Ferrata Sets p 43

Bohrmaterial Bolting p 44

COBRA® Gürtel COBRA® Belts p 50

Eisgeräte Ice Tools p 56

Eisschrauben Ice Screws p 58

Eispickel Ice Axes p 60

Steigeisen Crampons p 62

Grödel Groedel p 64



Expressschlingen und Karabiner Quickdraws and Carabiners

Quickdraws p 16


Non Locking Carabiners p 20

Locking Carabiners p 22




QUICKDRAWS AND CARABINERS & THEIR REAL SIZES

HMS RONDO screwlock Carabiner



ELEVEN Quickdraw



KARABINER CARABINERS

Karabiner sind unser Spezialgebiet. Immer mit dem Ziel vor Augen, den Karabiner noch sicherer, noch stärker und noch angenehmer im Handling zu machen, arbeiten wir nicht nur akribisch an der Verbesserung bestehender Produkte, sondern bringen auch absolute Neuheiten wie den FIFTY:FIFTY auf den Markt. In den vergangenen beiden Jahren wurde unter anderem die HMS Serie komplett überarbeitet. Neu sind also nicht nur die Namen MINI.MI und RONDO, sondern auch ihre Form mit dem runden Querschnitt. Carabiners is our key area of expertise. We are continuously improving our product line and are investing in research in order to bring entirely new products to the market. Our ambition is always to make our carabiners even safer, stronger and easier in handling. Over the last two years we completely reworked our HMS line. New products like the MINI.MI and RONDO are consequently shaped with round profiles to allow for fluid rope management.

AUSTRIALPIN CARABINERS ARE:

- 100% Made in Austria.
- Gefertigt aus Aluminium, Edelstahl oder verzinktem Stahl.
- Verfügbar in den verschiedensten Formen mit unterschiedlichsten Verschlüssen wie Schraubverschluss, 2-, 3- und 3-Wege+ Autolock und innovativen Sonderverschlüssen wie dem OVALOCK und FIFTY:FIFTY.
- Verfügbar mit folgenden Veredelungen: poliert und eloxiert bzw. hartbeschichtet, ktl beschichtet, blau passiviert oder verzinkt.
- Vom kleinsten MICRO bis zum XL und EXTRASTRONG mit bis zu 60 kN Bruchlast in Längsrichtung.
- Erfüllen und übertreffen CE und UIAA Normen und sind nach ISO (89/686/EWG Art.11B) zertifiziert.
- Erfüllen teilweise die ANSI bzw. CSA Normen.
- 100% Made in Austria.
- Made of aluminium, stainless steel & zinc plated steel.
- Available in many different shapes & different locking mechanisms (screwlock, 2,- or 3-way and 3-way+ autolock) as well as special, innovative locks such as OVALOCK and FIFTY:FIFTY.
- Different finishes: polished, anodized, hard coated, ktl coated, electrogalvanized with blue finish, black zinc plated.
- From the little MICRO to the XL and EXTRASTRONG with up to 60 kN in strength.
- Exceed CE and UIAA standards and are ISO quality controlled (89/686/EEC Art.11B).
- Depending on material exceeding ANSI and CSA standards.

LOCKING MECHANISM



Schraubverschluss Screwlock

leichtgängig wegen hohem Schwunggewicht, z.T. selbstreinigend. Easy handling because of high swing weight, partly self-cleaning.




3-Wege Autolock 3-way Autolock

Rolle nach oben drücken, drehen und Schnapper aufdrücken. Ein Weg mehr = ein zusätzliches Plus an Sicherheit. Press roll upwards, turn and push gate open. One additional step results in a safer product.



2-Wege Autolock 2-way Autolock

Rolle drehen und Schnapper aufdrücken: wenn es besonders schnell gehen muss. Turn roll and push gate open, if timing is critical and you need to be really fast.




Safelock 3-Wege+ Safelock 3-way+

Rolle nach oben drücken, drehen und Schnapper aufdrücken oder Rolle 180° weiterdrehen und in die Einkerbung einrasten lassen. So blockiert der Schnapper. Kein versehentliches Öffnen oder Aufvibriern. Press role upwards, turn and push gate open or, alternatively, turn role an additional 180° and lock it into the notch. Gate is blocked and cannot open accidentally or due to vibration.

ADDITIONAL BENEFITS

Pin Marking for Steel Products

Einzelstückmarkierung und Personalisierung möglich.
Single piece marking or personalisation available.




Gate Red Marking



Laser Marking for Aluminium Products

Einzelstückmarkierung und Personalisierung möglich.
Single piece marking or personalisation available.



MOQ GUIDELINES

- climbing carabiners | 100 pcs per order and type
- paragliding carabiners | 1000 pcs per order, type and color
- COBRA® buckles | 500 pcs per order, type and color
- COBRAFRAMES | 1000 pcs per order, type and color

EXPRESSSCHLINGEN QUICKDRAWS

ELEVEN

Unser stärkstes Set wurde speziell für das Sportklettern entwickelt. Mit 1,1 Tonnen Karabiner-offen-Bruchlast und breiter Seilauflage lässt es sich schonend und ohne Hemmungen ins Seil stürzen. Der Expressschlingen-TANGA, der den Karabiner in Position hält, und die extra breite Schlinge runden das Paket ab. Our strongest set, especially made for sport climbing. The 1.1 tons gate-open-breaking load and a large diameter allow rope friendly and fearless falling. It comes with the quickdraw-TANGA, a webbing protection that keeps the carabiner in place, and an extra wide sling.



ELEVEN

Mit extrabreiter 11 cm oder extralang genähter 20 cm Schlinge, inkl. Expressschlingen-TANGA.
With an extrawide 11 cm or an extralong stitched 20 cm sling, incl. quickdraw-TANGA.



ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11EK	● alu anodized	incl. TANGA	11 cm
KS11EK-BN	● alu anodized	ltd. edition, incl. TANGA	11 cm
KS20EK	● alu anodized	incl. TANGA	20 cm




MICRO

Unsere leichtesten Sets im Programm spielen ihre Vorzüge vor allem im alpinen Gelände, bei Mehrseillängen, Trad- und Eisklettern aus. Die einzigartige Form vereint eine große Schnapperöffnung mit hohen Festigkeiten und lässt Halbseile besonders geschmeidig durch den Karabiner laufen. The lightest sets in our product range are working perfectly in alpine terrain, for multi-pitch routes, and ice-climbing. The unique shape combines a wide gate opening with high strength and allows smooth gliding properties especially for half ropes.

MICRO Wire Set

MICRO Sets in der Drahtbügelversion. Mit Dyneema-Schlingen und buntem Farbenmix.
MICRO Sets with wire gate. With dyneema slings and a mix of different colors.


ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11ML	● alu polished, anodized	light wiregate	11 cm
KS20ML	● alu polished, anodized	light wiregate	20 cm
KS11ML.7	●●● alu pol., anodized	set of 7 mixed colors	11 cm



MICRO Set

Leichtes Set mit Dyneema-Schlinge und Schnappkarabinern mit breiter Seilauflage.
Light set with dyneema-sling and snapgate carabiner with a large diameter.

ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11MBX	● alu polished, anodized	snappgate, dyneema sling	11 cm
KS20MBX	● alu polished, anodized	snappgate, dyneema sling	20 cm
KS60MBX	● alu polished, anodized	snappgate, dyneema runner	60 cm



MICRO ADAM & EVE Set

Sonderedition mit Dyneema Schlinge in Schwarz oder kräftigem Rot.
Special edition set with dyneema sling in black or heavy red.

ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11EVE	● alu anodized	special edition EVE	11 cm
KS11ADAM	● alu anodized	special edition ADAM	11 cm



ROCKIT


Die universell einsetzbaren ROCKITs bestehen mit einem unschlagbaren Preis-Leistungsverhältnis und sensationellen Bruchlastwerten. The all-purpose ROCKIT line has an outstanding cost/performance ratio and very high breaking strength.



ROCKIT LIGHT Set

Die leichte Version mit 2 Drahtbügelkarabinern.
Light set with 2 wiregate carabiners.


ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS01AL	● alu polished	eco version	11 cm
KS02AL	● alu polished	long eco version	17 cm
KS01AL.5	● alu polished	set of 5	11 cm



ROCKIT MIXED Set

Set mit Drahtbügel und Schnapper.
Set with wiregate and snapper.


ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS41A	● alu polished	eco version	11 cm
KS42A	● alu polished	long eco version	17 cm
KS41B	● alu polished, anodized		11 cm
KS42B	● alu polished, anodized	long version	17 cm
KS41A.5	● alu polished	set of 5	11 cm
KS41B.5	● alu polished, anodized	set of 5	11 cm



ROCKIT Set

Das klassische ROCKIT Set mit zwei vollen Schnappern an beiden Seiten.
The classical ROCKIT Set with two snappgates on both ends.


ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11AC	● alu polished	eco version	11 cm
KS12AC	● alu polished	long eco version	17 cm
KS11BC	● alu anodized		11 cm
KS12BC	● alu anodized	long version	17 cm
KS11AC.5	● alu polished	set of 5	11 cm
KS11BC.5	● alu anodized	set of 5	11 cm



ROCKIT Set Special Edition

Das klassische ROCKIT Set in Sonderausführung mit Dyneema-Schlinge und TANGA.
The classical ROCKIT Set as special edition with dyneema sling and TANGA.


ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11CC	● alu pol.,anodized	incl. TANGA, dyneema sling	11 cm
KS11CC.5	● alu pol.,anodized	set of 5	11 cm



STAINLESS STEEL Set

Hochwertiges Set als Fixschlinge oder für Hallen mit Edelstahl-Drahtbügelkarabiner und 8 mm verzinktem Rapidglied.
Premium set to be used as permanent sling with stainless steel wiregate carabiner and zinc pl. maillon rapide.

ART.NO.	MATERIAL & FINISH	FEATURES	LENGTH
KS11NL	● stainless steel	for indoor or permanent use	11 cm
KS12NL	● stainless steel	for indoor or permanent use	17 cm



TANGA

Der Expressschlingen TANGA schützt die Schlinge vor Abrieb und hält den Karabiner in Position.
The TANGA webbing protection keeps the carabiner tight in place.

ART.NO.	MATERIAL	FEATURES	UNIT
ZS11D-F10	polymer	max. 14 mm (dyneema)	10 pcs.
ZS11-F10	polymer	max. 18 mm (standard)	10 pcs.



Quickdraw slings

Überblick über unsere unterschiedlichen Expressschlingen Modelle. Im 10er Pack erhältlich.
Overview of our quickdraw slings. Available in packs of 10 pcs.

ART.NO.	MATERIAL	WIDTH & LENGTH	UNIT
ZS11DAE-10	● dyneema	11 mm, 11 cm	10 pcs.
ZS11-10	● polyamide	16 mm, 11 cm	10 pcs.
ZS11EB-10	● polyamide	25 mm, 11 cm	10 pcs.
ZS20E-10	● polyamide	16 mm, 20 cm	10 pcs.



NICHT VERRIEGELBARE KARABINER


NON LOCKING CARABINERS



ELEVEN snapgate


Der starke ELEVEN mit geradem oder gebogenem Schnapper.
The strong ELEVEN with straight or bent snapgate.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KE01BK	● alu anodized	straight snapgate	strong
KE06BK	● alu anodized	bent snapgate	strong




MICRO Wire

Der MICRO in der Drahtbügelvariante ist der leichteste Karabiner im Programm. Eine breite Seilaufgabe garantiert seilschonendes Klettern. Die 8 verschiedenen Farben lassen in Punkto Kombinationsmöglichkeiten keine Wünsche offen und passen bestimmt auch zu deinem Outfit. Auf jeden Fall sind sie jedoch farblich abgestimmt auf die gängigsten Friends. The MICRO with wiregate is our lightest carabiner. Choosing out of 8 different colors enables you to match your climbing gear and outfit. Moreover the color code system is matching with the colors of the most popular Friends sizes.




ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KM01AL	● alu polished	wiregate	matches with Friends
KM01BL-B	● alu anodized	wiregate	matches with Friends
KM01BL-I	● alu anodized	wiregate	matches with Friends
KM01BL-N	● alu anodized	wiregate	matches with Friends
KM01BL-O	● alu anodized	wiregate	-
KM01BL-P	● alu anodized	wiregate	matches with Friends
KM01BL-U	● alu anodized	wiregate	-
KM01BL-Y	● alu anodized	wiregate	matches with Friends
KM01BL.6	● set of 6 colors	wiregate	matches with Friends



MICRO snapgate

Der leichte MICRO mit geradem oder gebogenem Schnapper.
The light MICRO carabiner with straight or bent snapgate.


ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KM01AM	● alu polished	straight snapgate	small
KM01BM	● alu anodized	straight snapgate	small
KM06AM	● alu polished	bent snapgate	small
KM06BM	● alu anodized	bent snapgate	small



ROCKIT light

Der universell einsetzbare ROCKIT Karabiner in der Drahtbügelversion.
The all-purpose ROCKIT carabiner with wiregate.


ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KG01AL	● alu polished	wiregate	light



ROCKIT snapgate

Der universell einsetzbare ROCKIT Karabiner mit geradem oder gebogenem Schnapper.
The all-purpose ROCKIT carabiner with straight or bent snapgate.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KG01AC	● alu polished	straight snapgate	all purpose
KG01BC-O	● alu anodized	straight snapgate	all purpose
KG01BC-Y	● alu anodized	straight snapgate	all purpose
KG06AC	● alu polished	bent snapgate	all purpose
KG06BC-G	● alu anodized	bent snapgate	all purpose
KG06BC-Y	● alu anodized	bent snapgate	all purpose



OVALO snapgate

Perfekt als Materialkarabiner und für Big Wall Klettern. Bietet Platz für all dein Material und passt in jeden Haken.
Ideal carabiner for big wall climbing. Fits in any bolt and has plenty of room to tidy up your gear.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KA01A	● alu polished	snappgate	oval shape
KA01B-Y	● alu anodized	snappgate	oval shape



NEW

VERSCHLUSSKARABINER LOCKING CARABINERS

SMALL LOCKING CARABINERS



ELEVEN screwlock

Der starke ELEVEN mit 1,1 Tonnen Karabiner-offen-Bruchlast. Schraubsicherung mit Alugewinde.
The strong ELEVEN with 1.1 tons gate open breaking load. Screwlock with aluminium thread.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KE01BKS	● alu anodized	screwlock	strong



MICRO screwlock & autolock

Unser leichtester Schraubkarabiner mit Alugewinde und als starker Autolock aus Edelstahl.
Our lightest screwlock carabiner with aluminium thread and the small but strong stainless steel MICRO autolock.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KM01AMS	● alu polished	screwlock	light
KM01BMS	● alu anodized	screwlock	light
NM31AK	● stainless steel pol.	3-way autolock	rev. autol.
NM31XK	● stainless steel ktl	3-way autolock	rev. autol.



ROCKIT screwlock & ROCKET autolock

Universell einsetzbarer kleiner Schraubkarabiner mit Alugewinde und als Autolock.
All-purpose screwlock carabiner with aluminium thread and autolock for paragliding harnesses.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KG01ACS	● alu polished	screwlock	all purpose
KG01BCS	● alu anodized	screwlock	all purpose
FP06B-B	● alu anodized	autolock	slidelock
FP06B-Y	● alu anodized	autolock	slidelock
FP06B-R	● alu anodized	autolock	slidelock



HMS MINI.MI

Klein, leicht und praktisch - der HMS MINI.MI ist der leistungsstarke aber deutlich kleinere Bruder des HMS RONDO. Der runde Querschnitt unterstützt eine flüssige Seilführung und macht ihn damit zum idealen Karabiner für jegliche Anwendung mit dem Seil. Small, light and practical - the high performance HMS MINI.MI is the smaller brother of the HMS RONDO. The MINI.MI also benefits from a fresh design and the round profile which allows for both fluid and secure rope management.

HMS MINI.MI screwlock

Der MINI.MI als Schraubkarabiner. Selbstreinigend durch freigeprägtes Gewinde im Verschluss.
MINI.MI with self-cleaning screwlock.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
K011B-G	● alu anodized	screwlock	self-clean.
K011B-I	● alu anodized	screwlock	self-clean.
K011B-N	● alu polished	screwlock	self-clean.
K011B-P	● alu polished	screwlock	self-clean.



HMS MINI.MI autolock

Der MINI.MI als 2- und 3-Wege Autolock. Für Öffnung: (heben-,) drehen und drücken.
2- and 3-way autolock carabiner. To open: (lift-,) twist and push.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
K035B-N	● alu anodized	2-way autolock	light
K035B3-G	● alu anodized	3-way autolock	light



HMS RONDO

Der HMS RONDO erfüllt alle Anforderungen hinsichtlich einfachem Handling und fühlbarer Sicherheit. Der runde Querschnitt am oberen Schenkel verhindert eine durch Seilreibung verursachte Kantenbildung und unterstützt zudem eine flüssige Seilführung. Der ideale Karabiner für jegliche Anwendung mit dem Seil. The new design of the HMS RONDO prevents the build up of sharp edges from rope friction. The round profile allows for fluid rope management making the HMS the ideal carabiner for all-around use. Each time the carabiner opens and closes, it goes through a unique self cleaning process.



HMS RONDO screwlock

Der RONDO als Schraubkarabiner. Selbstreinigend durch freigefrästes Gewinde im Verschluss. RONDO with self-cleaning screwlock.



ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KR11A	alu polished	screwlock	self-clean.
KR11B-B	alu anodized	screwlock	self-clean.
KR11B-G	alu anodized	screwlock	self-clean.
KR11B-O	alu anodized	screwlock	self-clean.
KR11B-R	alu anodized	screwlock	self-clean.
KR11B-Y	alu anodized	screwlock	self-clean.
KR11B-X	alu anodized	screwlock	all black



HMS RONDO screwlock Selfie

RONDO Schrauber mit Verdrehsicherung; umschließt die Anseilschleife und hält den Karabiner in Position. HMS RONDO screwlock with anti-twist protection; captures the belay loop and keeps the carabiner in place.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KR11BS-B	alu anodized	screwlock	anti twist
KR11BS-X	alu anodized	screwlock	all black



HMS RONDO autolock

Der RONDO als 2-, 3- und 3-Wege+ Autolock Karabiner; zum Öffnen: (heben-,) drehen, drücken (und verriegeln). 2-,3- and 3-way+ autolock carabiner; to open: (lift-,) twist, push (and lock).



ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KR35B-Y	alu anodized	2-way autolock	
KR35B-X	alu anodized	2-way autolock	all black
KR35B3-R	alu anodized	3-way autolock	
KR35B3-X	alu anodized	3-way autolock	all black
KR31B4-X	alu anodized	3-way+ autolock	safelock



HMS RONDO autolock Selfie

RONDO Autolock mit Verdrehsicherung; umschließt die Anseilschleife und hält den Karabiner in Position. HMS RONDO with anti-twist protection; captures the belay loop and keeps the carabiner in place.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KR35B3S-B	alu anodized	3-way autolock	anti twist
KR35B3S-N	alu anodized	3-way autolock	anti twist
KR35B3S-X	alu anodized	3-way autolock	all black



OVAL CARABINER

OVALO - der Yogi unter den Karabinern: die ovale Form begünstigt in jeder Situation die optimale Ausrichtung des Karabiners nach der Längsachse und vermindert somit gefährliche Querbelastungen. Durch den runden Querschnitt wird zusätzlich das Seilhandling optimiert. This carabiner finds its optimal position in every situation, thus never compromising its maximum strength. There is hardly any possibility that this carabiner turns on its side and is weighted in the dangerous cross wise direction. The round profile at the upper and lower ends optimizes the rope handling.

OVALO screwlock

Ovalkarabiner mit Schraubverschluss und rundem Querschnitt. Optional mit Gate Red Markierung verfügbar. NEU auch in der Limited Edition "20 Jahre AustriAlpin". Oval shaped carabiner with screwlock and round profile. Available with gate red marking or as limited edition "20 years of AustriAlpin".

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KA11A	alu polished	screwlock	
KA11B-B	alu anodized	screwlock	
KA11B-G	alu anodized	screwlock	
KA11B-N	alu anodized	screwlock	
KA11B-Y	alu anodized	screwlock	
KA11B-X	alu anodized	screwlock	all black
KA11B-BN	alu anodized	screwlock	limited edition
KA11B-NB	alu anodized	screwlock	limited edition
KA11B-Y-GR	alu anodized	screwlock	gate red marking
KA11BK-B-GR	alu anodized	screwlock	gate red marking
KA11BK-G-GR	alu anodized	screwlock	gate red marking
KA11BK-R-GR	alu anodized	screwlock	gate red marking
KA11BK-Z-GR	alu anodized	screwlock	gate red marking



OVALO autolock

Ovalkarabiner als 2- und 3-Wege-Autolock mit rundem Querschnitt zur flüssigen Seilführung. Ovale shaped carabiner as 2- and 3-way autolock. Rounded profile allows for fluid rope management.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KA35B-Y	alu anodized	2-way autolock	
KA35B3-G	alu anodized	3-way autolock	
KA35B3-X	alu anodized	3-way autolock	all black



BIG SIZED LOCKING CARABINERS

PIRUM – Latein für "BIRNE" - ist speziell für Anwendungen konzipiert, die etwas mehr Platz brauchen. Also egal ob als Zentralkarabiner oder für dickere Seildurchmesser verwendet, im PIRUM wird es nie zu eng. Durch seinen anatomisch geformten Rücken liegt er besonders natürlich in der Hand und hat mit 30 kN gleichzeitig ausgezeichnete Festigkeitswerte. Die überdurchschnittlich große Schnapperöffnung schützt die Finger und minimiert selbst bei schnellem Klippen die Einklemmgefahr. Zusätzliche Features: Einzelstückmarkierung standardmäßig; gegen Aufpreis mit Firmenlogo, Lasermarkierung und Gate Red Markierung. PIRUM - Latin for 'pear' - is specially designed for situations where more space is needed, for example, as a central carabiner or for working with ropes with thicker diameters. The form is specially designed to sit naturally in your hand without reducing its strength: it is certified for 30 kN. With a wide gate clearance, this carabiner minimizes the risk of getting fingers caught while clipping. Each Carabiner comes single-piece marked; optional features are company logo and gate red marking.

PIRUM screwlock

PIRUM Schrauber mit großer Schnapperöffnung und einzelstückmarkiert. PIRUM screwlock with big gate opening and single-piece marked.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KC11B-B	alu anodized	screwlock	single-piece m.
KC11B-X	alu anodized	screwlock	all black



PIRUM autolock

3-Wege Autolock Karabiner; heben, drehen und drücken. Große Schnapperöffnung, einzelstückmarkiert. 3-way autolock carabiner; lift, twist and push. Big gate opening, single-piece marked.

ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KC35B3-G	alu anodized	3-way autolock	single-piece m.
KC35B3-X	alu anodized	3-way autolock	all black



SPECIAL LOCKING CARABINERS



OVALOCK

Idealer Sicherungskarabiner mit push to open Funktion, der nur zwei Möglichkeiten erlaubt: offen oder geschlossen. Der glasfaserverstärkte Kunststoffriegel teilt den Karabiner in zwei Bereiche und verhindert so gefährliche Querbelastungen. Kein lästiges Schrauben mehr, kein seltsames Handling: push and open – der OVALOCK macht es möglich. The intuitive lock only allows two options: open or closed. The bar is made out of molded reinforced fibre glass plastic and effectively separates the carabiner into two distinct sections - thus eliminating the dangers of cross loading. No screwing, no weird handling: just push and open!



ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KA65B-N	● alu anodized	Ovalock	push & open
KA65B-Y	● alu anodized	Ovalock	push & open
KA65B-X	● alu anodized	Ovalock	push & open



FIFTY-FIFTY autolock

Einzigartiger, patentierter Autolock Karabiner mit zwei identischen Kammern, die sich mittels geführter Feder nur wechselseitig öffnen lassen und automatisch schließen, sobald man die Feder loslässt. Unique, patented autolock carabiner featuring two identical compartments that open alternately with a sliding spring-loaded clip and lock automatically as soon as one loses the hold of the clips.

- Eine Kammer bleibt immer geschlossen. Kammern lassen sich nur wechselseitig öffnen. The opening mechanism allows to open only one section at a time.
- Anwendungsbereiche: als klassischer Sicherungskarabiner, als Karabiner zur Selbstsicherung, für Seilschaften am Gletscher, u.v.m. Range of application: as a belay carabiner in combination with a belay device, as personal anchor system, for glacier tracks and many more.
- Gleichermaßen für Rechts- und Linkshänder geeignet. For both right and left hander.
- Einhändige Bedienung möglich. One handed opening.
- Form verhindert schwächende Querbelastung. Special shape eliminates dangers of cross loading.



ART.NO.	MATERIAL & FINISH	LOCK	FEATURES
KX55B	● alu anodized	autolock	2 chambers
KX55O	● alu anodized	autolock	2 chambers
KX55Z	● alu anodized	autolock	2 chambers



photocredit: Peter Mannhartsberger | product manager AustriAlpin | Paklenica, Croatia



Outdoor- Ausrüstung Outdoor Equipment

Belay p 32

Ropes & Slings p 34

Chalk & Tapes p 40

Helmets & Via ferrata sets p 42

Bolting & Add ons p 44



SICHERUNGSGERÄTE

BELAY



NEW

FISH Autotuber Set

Der FISH verfügt als erster Einfachseil-Autotuber über einen zusätzlichen Ablasshebel und sorgt damit für besonderen Bedienkomfort. Mit unerreicht leichten 68 Gramm ist er perfekt abgestimmt auf Seildurchmesser von 8 bis 11 mm. Als Autotuber blockiert er im Fall eines Sturzes selbstständig und ohne zusätzliche Handkraft. Der FISH wird nur in Kombination mit dem HMS RONDO 3-Wege Autolock mit „Selfie“ Verdreh-Sicherung ausgeliefert, um die sogenannte „Panikfunktion“ zu gewährleisten. Weighing in at an unrivaled 68 g the FISH is an autotuber belay device for single ropes which securely catches each fall. Pulling out on the unique dorsal lever to release the rope brings you smoothly back to solid ground. Sold only in combination with the HMS RONDO Selfie 3-way autolock to ensure optimum functionality.



ART.NO.	MATERIAL & FINISH	FEATURES
AB20B-Set	● alu anodized	PATENTED incl. HMS RONDO autolock Selfie

TECH. SPECS. | RONDO



TECH. SPECS. | FISH & SET



AA Tuber Standard

Bewährtes Tubermodell, ideal in Verbindung mit dem OVALOCK.
Standard tuber model, works perfectly in combination with OVALOCK.

ART.NO.	MATERIAL & FINISH	FEATURES
AB01B	● alu anodized	colors assorted



NEMO

Sehr kleiner und leichter Abseilachter, besonders geeignet für den Behelfseinsatz mit dünnen 6 mm Leinen.
Small and lightweight figure-8. Ideal for the alternative or emergency use (e.g. rappelling) with thin 6 mm lines.

ART.NO.	MATERIAL & FINISH	FEATURES
AF09B	● alu anodized	9 different grades of rope friction and 3 options for locking
AF09X	● alu anodized	

>> use only in combination with AustriAlpin CORE.DY 6.0 mm <<



NEW

NO.MAD

Speziell geformter Abseilachter, besonders geeignet für Canyoning und Seilbergungen.
Specially formed figure-8, ideal for canyoning and rope rescue.

ART.NO.	MATERIAL & FINISH	FEATURES
AF10A	● alu polished	
AF10B	● alu anodized	9 different grades of rope friction and 3 options for locking
AF10X	● alu anodized	



ROPE.X

Speziell geformter Abseilachter, besonders geeignet für Canyoning und Seilbergungen. Das ideale Tool für den Guide.
Specially formed figure-8, ideal for canyoning and rope rescue. The ideal tool for guides.

ART.NO.	MATERIAL & FINISH	FEATURES
AF50C	● alu anodized	many different grades of rope friction and options for locking
AF50H-X	● alu hard coated	



Abseilachter

Standard Abseilachter geschmiedet und als Variante mit mehr Reibung.
Forged figure-8 in 2 different shapes.

ART.NO.	MATERIAL & FINISH	FEATURES
AF02B	● alu anodized	colors assorted
AF02B-R	● alu anodized	red

TECH. SPECS. | AF02B



ART.NO.	MATERIAL & FINISH	FEATURES
AF01B	● alu anodized	for double ropes

TECH. SPECS. | AF01B



SEILE & SCHLINGEN


ROPES & SLINGS



ROCK.STAR 9.4

Einfachseil für jene, die am persönlichen Limit klettern und auf jedes Gramm achten.
Single rope for climbs at your limit where every gram makes a difference.

ART.NO.	LENGTH	FEATURES	MATERIAL
CS500Y	50 m	long life	polyamide
CS600Y	60 m	long life	polyamide
CS700Y	70 m	long life	polyamide
CS800Y	80 m	long life	polyamide
CS2000Y	200 m	long life	polyamide



HARD.ROCK 9.8

Vielseitig einsetzbares Einfachseil. Geringes Gewicht gemessen am Durchmesser. Angenehm im Handling und äußerst robust. All around single rope that is still pretty light for its diameter. Nice handling and very robust.

ART.NO.	LENGTH	FEATURES	MATERIAL
CS50BG	50 m	long life	polyamide
CS60BG	60 m	long life	polyamide
CS70BG	70 m	long life	polyamide
CS80BG	80 m	long life	polyamide
CS200BG	200 m	long life	polyamide



SAFE.ROCK 11.0

Starkes und robustes Einfachseil für Einsatzbereiche, die dem Seil besonders viel abverlangen.
Strong and very robust single rope for situations where durability is important.

ART.NO.	LENGTH	FEATURES	MATERIAL
CS50SR	50 m	long life	polyamide
CS60SR	60 m	long life	polyamide
CS70SR	70 m	long life	polyamide
CS80SR	80 m	long life	polyamide
CS100SR	100 m	long life	polyamide
CS200SR	200 m	long life	polyamide



ROCK.N.ROLL 8.2

Diese Halbseile sind dank ihrer Beschichtung wasserabweisend. So bleiben sie länger trocken und weisen weniger Abrieb auf. Double ropes with water-resistant aqua stop coating. Stay dry much longer, less abrasion.

ART.NO.	LENGTH	FEATURES	MATERIAL
CS50HB	50 m	aqua stop	polyamide
CS50HR	50 m	aqua stop	polyamide
CS60HB	60 m	aqua stop	polyamide
CS60HR	60 m	aqua stop	polyamide



ICONS



Long Life: Eine Imprägnierung des Mantels verstärkt die Widerstandsfähigkeit gegen Staub, Feuchtigkeit und Abrieb. An impregnation process of each individual sheath component significantly improves the resistance of the ropes to dust, moisture and abrasion.



Regular Tension: Die einzelnen Polyamid-Fasern sind während des Flechtprozesses immer gleichmäßig gespannt. Each polyamide thread is under consistent and regular tension during the braiding process.



Environmental Contribution: Polyamid-Materialien werden recyclet und wiederverwertet. Polyamide materials are recycled and reused.



Middle Marking: Schwarze Mittelmarkierung in Seilen von 50–80 m. The middle of the rope is marked with a black line (50–80 m ropes).



Aqua Stop: Kern und Mantel werden behandelt, damit sie wasser- und schmutzabweisend sind. Core and sheath are hydrophobic treated. This limits moisture absorption and increases the resistance to abrasion.

ROPE KNOW HOW

1

Einfachseil: Verwendbar als einzelner Strang zwischen Kletterer und Sicherungspartner. Zur Verwendung in den Bergen, an Felswänden und in Kletterhallen. **Single rope:** can be used as a single strand as a link between the climber and the belayer. For mountaineering, rock and indoor climbing.

1/2

Halbseil: Getrennte Führung der Seilstränge durch Karabiner, dadurch geringere Seilreibung. Zur Verwendung in den Bergen, bei alpinem Felsklettern und Eisklettern. **Double rope:** separate carabiner for each strand enables climbing with less rope friction. For mountaineering, alpine rock climbing and ice climbing.

⊙

Zwillingsseil: obligatorische Führung beider Stränge durch Karabiner an jedem Sicherungspunkt. Zur Verwendung beim Bergsteigen, bei alpinem Felsklettern und Eisklettern. **Twins rope:** it is mandatory to lead both strands through each carabiner/quickdraw. For mountaineering, alpine rock climbing and ice climbing.

FEATURES

PERFORMANCE	ROCK.STAR 9.4	HARD.ROCK 9.8	SAFE.ROCK 11.0	ROCK.N.ROLL 8.2
Fangstoß Impact force	825 daN	860 daN	790 daN	560 daN
Anzahl der Stürze Number of falls	6	7	11	7
Anzahl der Einzelfasern Number of strands	40	48	32	32
Mantelanteil Sheath percentage	33,3 %	36,0 %	38,4 %	36,6 %
Mantelverschiebung Sheath slippage	0 mm	0 mm	0 mm	5 mm
Dynamische Dehnung Dynamic extension	34,5 %	33,1 %	33,1 %	34 %
Statische Dehnung Static extension	7,3 %	9,8 %	6,5 %	11,4 %
Gewicht pro Meter Weight per meter	56 g	63 g	73 g	41 g

REEPSCHNÜRE & SCHLINGEN


CORDS & SLINGS



DYNA.MIT

Innovatives Set für Alpinisten, bestehend aus 4 unterschiedlich langen Reepschnüren in Kern-Mantel-Konstruktion und 4 farblich dazu passenden OVALO Schraubkarabinern mit Gate Red Markierung. Erleichtert das Handling am Berg. A mountaineering set comprising of 4 cords in different lengths with dyneema core, each with an OVALO locking carabiner in the matching color, simplifying material handling while in the mountains.

- + Extrahohe Festigkeit von 22 kN im Einzelstrang.
- + Vereint die besten Eigenschaften der vernähten Bandschlinge (universelle Einsetzbarkeit) und der Reepschnur (problemlos steckbar, in der Länge anpassbar und knotbar, kaum Feuchtigkeitsaufnahme).
- + Erleichtert die Materialauswahl für Hochtouren und alpines Gelände und sorgt mit dem Farbkonzept Blau, Grau, Rot, Schwarz für Klarheit am Standplatz und bei der Materialübergabe.
- + Erleichtert den Aufbau und die Übersicht bei Rettungstechniken.
- + Problemloses, übersichtliches Tragen um den Körper durch perfekt angepasste Längen und abgestimmte Farben.
- + Die auf 5 cm vernähten Enden verhindern ein Herausrutschen des Knotens und eine Mantelverschiebung und eignen sich ideal zum Stecken und Verlängern.
- + Extrahigh breaking strength of 22 kN (single strand).
- + 6 mm diameter cord with dyneema-core and polyester sheath combine for optimal performance of a sewn sling (universal functionality) and cord (can be knotted without difficulty).
- + The color concept blue, green, red, black simplifies material handling, organizes the belay, makes trading off material easy and clarifies the setup of rescue systems.
- + The adjusted lengths allow you to select what you want as quickly as possible (black: simple, red/grey: double, blue: triple).
- + The ends are sewn at 5 cm to minimize slipping of the sheath with respect to the smooth dyneema core, and to allow for the correct knot placement.



ART.NO.	MATERIAL	LENGTH	FEATURES
ZS04RY-SET	core: dyneema, sheath: PES, carabiner: aluminium	170/290/290/530 cm	set of 8 pcs.
ZS17RY-Z	core: dyneema, sheath: PES	170 cm	
ZS29RY-G	core: dyneema, sheath: PES	290 cm	
ZS29RY-R	core: dyneema, sheath: PES	290 cm	
ZS53RY-B	core: dyneema, sheath: PES	530 cm	

TECH. SPECS. | OVALO



TECH. SPECS. | CORD & SET



CORE.DY

Statische Abseilleine. Ideale Verwendung in Kombination mit dem kleinen Abseilachter NEMO. Static Rap line. Use with the small figure-8 NEMO.

ART.NO.	MATERIAL	LENGTH
ZS30DA	core: vectran, sheath: aramide, PES	30 m
ZS60DA	core: vectran, sheath: aramide, PES	60 m




NEW

Dyneema Sling

Bandschlinge aus Dyneema-Faser für hohe Festigkeitswerte bei minimalem Gewicht. High-strength dyneema sling reduces weight to a minimum.

ART.NO.	MATERIAL	LENGTH
ZS60BY-R	dyneema	60 cm
ZS60BY-B	dyneema	60 cm
ZS12BY	dyneema	120 cm
ZS18BY	dyneema	180 cm



TANGA

Der TANGA schützt die Schlinge vor Abrieb und hält den Karabiner in Position. The TANGA webbing protection keeps the carabiner tight in place.


ART.NO.	MATERIAL	FEATURES	UNIT
ZS11D-F10	polymer	max. 14 mm (dyneema)	10 pcs.
ZS11-F10	polymer	max. 18 mm (standard)	10 pcs.



Quickdraw slings

Überblick über unsere unterschiedlichen Expressschlingen-Modelle. Im 10er Pack erhältlich. Overview of our quickdraw slings. Available in packs of 10 pcs.

ART.NO.	MATERIAL	FEATURES	UNIT
ZS11DAE-10	dyneema	11 mm, 11 cm	10 pcs.
ZS11-10	polyamide	16 mm, 11 cm	10 pcs.
ZS11EB-10	polyamide	25 mm, 11 cm, wide	10 pcs.
ZS20E-10	polyamide	16 mm, 20 cm	10 pcs.




NEW



Alpine Sling

Gespleißte Dyneemaschlinge mit 2 Augen. Funktioniert wie eine lange Expressschlinge, kann auch als Standschlinge für Ausgleichs- und Reihenverankerung verwendet werden. Endverbindungen sind ohne Nähte gespleißt. Die Schlingenlängen sind variabel und können mehrfach verkürzt werden. Dyneema slings with two eyeloops that are seamlessly spliced. Can be used as a runner but works as a XL sling as well. The simple intuitive design decreases the risk of user error. Slings can be adapted to 3 different lengths.



ART.NO.	MATERIAL	LENGTH
ZS45DG	● spliced dyneema	45 cm
ZS12DG	● spliced dyneema	120 cm
ZS24DG	● spliced dyneema	240 cm

>> carabiners not included <<



Triple Safety Loop

Bestehend aus 3 Ringen DynaOne. Endverbindungen gespleißt und zusätzlich vernäht. Consisting of 3 loops DynaOne. Loops are seamlessly spliced and additionally sewed.



ART.NO.	MATERIAL	LENGTH	FEATURES
ZS00S	● spliced dyneema	49 cm	green for girth hitch, yellow for rappelling tool, red as belay station sling



Inco Prusik Sling

Klemmschlinge als Rücklaufsicherung beim Abseilen und als Prusikersatz bei einer Seilrolle. Prusik sling as back run safety device for rappelling and as prusik alternative for the pulley.



ART.NO.	MATERIAL	LENGTH	FEATURES
ZS45PS	● technora, PES	45 cm	loops seamlessly spliced



CHALK & TAPES



CHALKER Loose Chalk

Feines, trockenes Magnesiumcarbonat. Lockeres Pulver in robustem Beutel.
Very smooth and dry magnesium carbonate powder in durable bag.

ART.NO.	MATERIAL	FEATURES	UNIT
RT25CP	magnesium carbonate	waterproof one shot bag	25 g
RT30CP	magnesium carbonate	resealable bag	300 g
RT30CP50	magnesium carbonate	bulk pack	50x300g



CHALKER Chalk Balls

Chalkbälle reduzieren den Feinstaub in Kletterhallen.
Chalkballs minimize dust in climbing gyms.

ART.NO.	MATERIAL	FEATURES	UNIT
RT35CB	magnesium carbonate	twin chalkballs	2x35 g
RT35CB200	magnesium carbonate	bulk pack	200x2x35 g
RT60CB	magnesium carbonate	single chalkball	1x60 g
RT60CB250	magnesium carbonate	bulk pack	250x60 g
RT70RF	magnesium carbonate	refillable	1x70 g



CHALKER Liquid Chalk

Flüssiges Chalk, schnell einziehend und lange anhaltend.
Liquid chalk, dries very quickly and keeps your hands dry for longer.

ART.NO.	MATERIAL	FEATURES	UNIT
RT25LC	MgCO ₃ , alcohol	single bottle	250 ml
RT25LC12	MgCO ₃ , alcohol	bulk pack, display	12x250 ml



POWER PUTTY

Knetmasse in 3 verschiedenen Härten zum Aufwärmen oder Trainieren, inklusive Übungsvorschlägen.
Power Putties of 3 different resistance levels to warm up or exercise, booklet included.

ART.NO.	MATERIAL	RESISTANCE	COLOR
RT01PP	plasticine	easy	yellow
RT02PP	plasticine	medium	green
RT03PP	plasticine	hard	blue



FINGER SUPPORT TAPE

Medizinisches Zinkoxid-Tape in 2 oder 3,8cm Breite, 10 m Länge und verschiedenen Farben.
Zinc oxide tape of 2 or 3,8 cm width, 10 m length and different colors.

ART.NO.	MATERIAL	SIZE	COLOR
RT20FT	zinc oxide	20 mm	white
RT20FT75	zinc oxide	75x20 mm	white
RT20FT-B	zinc oxide	20 mm	blue
RT20FT-N	zinc oxide	20 mm	green
RT20FT-R	zinc oxide	20 mm	red
RT20FT-X	zinc oxide	20 mm	black
RT20FT-Y	zinc oxide	20 mm	yellow
RT38FT	zinc oxide	38 mm	white
RT38FT45	zinc oxide	45x38 mm	white
RT38FT-B	zinc oxide	38 mm	blue
RT38FT-N	zinc oxide	38 mm	green
RT38FT-R	zinc oxide	38 mm	red
RT38FT-X	zinc oxide	38 mm	black
RT38FT-Y	zinc oxide	38 mm	yellow



NEW

Boulderbrush

Naturhaar-Boulderbürste mit Holzgriff.
Rockbrush made of natural hair, wood handle.

ART.NO.	MATERIAL
ZU00BB	natural hair, wood



HELME & KLETTERSTEIGSETS

HELMETS & VIA FERRATA SETS



HELM.UT

Unser Leichthelm überzeugt mit angenehmer Passform und großen Öffnungen zur Ventilation. Durch das In-Mould Herstellungsverfahren bietet er ein hohes Maß an Stabilität und Sicherheit. Mit dem beiliegenden Sticker-Kit kannst du deinen HELM.UT auf deinen persönlichen Kletterstil abstimmen und individuell designen. Lightweight climbing helmet with large openings for excellent ventilation. Due to the in-mould manufacturing process, the shell and hard foam are permanently connected, so your head is perfectly protected. HELM.UT comes entirely from the motto "your head – your helmet"! Give your HELM.UT a personal touch with stickers that suits your style of climbing.




ART.NO.	MATERIAL	FEATURES
HS03-B	● polycarbonate, EPS	head lamp rest, adjustable
HS03-N	● polycarbonate, EPS	head lamp rest, adjustable
HS03-I	● polycarbonate, EPS	head lamp rest, adjustable
HS03-W	○ polycarbonate, EPS	head lamp rest, adjustable



Climbing Helmets

Universeller Kletterhelm mit Stirnlampenhalterung in 2 Größen, größenverstellbar. Universal helmet incl. head-lamp-rest. Standard size for adults and smaller one for kids or tiny heads. Both models are adjustable in size

ART.NO.	MATERIAL	FEATURES
HS00	○ ABS, EPS	head lamp rest, adjustable
HS01	● ABS, EPS	head lamp rest, adjustable




HYDRA Stretch

Das erste Klettersteigset mit drei Armen ist eine Kombination aus dem Klettersteigset COLT und dem FERRATA.BLOC. Alle 3 Arme sind mit dem gewebten Bandfalldämpfer verbunden. In leichten Passagen kann der FERRATA.BLOC bequem an der Tasche des Bandfalldämpfers verstaut werden. So hat man ihn jederzeit griffbereit für die vertikalen Passagen. Sobald er in das Drahtseil eingehängt wird, verhindert der FERRATA.BLOC weite Stürze in die nächste Zwischensicherung. Die COLT Karabiner sind mit dem AustriAlpin Schalldämpfer ausgestattet. COLT erfüllt den UIAA Knicktest! Die fachgerechte Anwendung ist Voraussetzung für die Funktionsfähigkeit. Die Bedienungsanleitung ist deshalb unbedingt zu beachten. The first via ferrata set with 3 arms is a combination of via ferrata set COLT and FERRATA.BLOC. The 3 arms are attached to the in-webbing brake. During flat and easy sections you can put the FERRATA.BLOC into a hold at the bag of the in-webbing brake. If so you have it within reach as soon as it is getting more challenging. Hook the FERRATA.BLOC into the wire rope and it will prevent you from a long fall back into the last fixation of the wire. The COLT carabiners are equipped with the AustriAlpin sound absorber. COLT is UIAA-via ferrata tested and certified. Please read the manual!




ART.NO.	MATERIAL & FINISH	FEATURES
AS93CS	● alu anodized, polymer	FERRATA.BLOC, sound absorber



COLT 2 Stretch

Der Klettersteigkarabiner COLT liegt ganz natürlich in der Hand und läßt sich wie eine Zange bedienen. Durch den langen Schnapper ist ein großer Abstand der Finger zum Drahtseil gewährleistet. COLT erfüllt den UIAA Knicktest! COLT, the ultimate, smooth-clipping via ferrata device is featuring an unique patented opening mechanism, ergonomic form fit carabiner with a caliper like opening and an extra long snappgate. UIAA certified.

ART.NO.	MATERIAL & FINISH	FEATURES
AS90CS	● alu anodized, polymer	sound absorber
KC90	polymer	silencer is included



FERRATA.BLOC

Läßt sich als „dritter Arm“ mit jedem Klettersteigset kombinieren. Aufwärts läuft er locker am Drahtseil, im Falle eines Sturzes am senkrechten Seil blockiert er an Ort und Stelle und verhindert somit weite Stürze. The third arm for via ferrata makes climbing safer. In steep sections this additional tool acts as a brake, only allowing upward movement and locking directly at the point of contact with the wire thus avoiding long falls.

ART.NO.	MATERIAL	FEATURES
AS00FB	● steel, polymer	incl. in-webbing-brake

>> use only in addition to a via ferrata set, read manual carefully! <<



BOHRMATERIAL & ZUBEHÖR

BOLTING & ADD ONS



Top Anchor Device

Umlenkung am Top mit Doppelringen.
Top anchor with double ring.

ART.NO.	MATERIAL	FEATURES	MADE IN
HK01	stainless steel 316L	ring without welding	France
HD01RR	stainless steel	hanger with double ring	Italy


>> note the latest UIAA anchor corrosion warning <<

Belaystations

Unterschiedliche Kettenstand Lösungen. 100% Edelstahl.
Different solutions for belaystations. 100% stainless steel.

ART.NO.	MATERIAL	FEATURES
HK01HH	stainless steel 316L	2x10 mm bolt hanger, chain, 2x ring
HK02HH	stainless steel 316L	2x10 mm bolt hanger, chain, MICRO wire
HK03HH	stainless steel 316L	2x10 mm bolt hanger, chain, D-shape snagg.
HK04HH	stainless steel 316L	2x10 mm bolt hanger, chain, D-shape screw
HK00	stainless steel 316L	chain, individual length

>> note the latest UIAA anchor corrosion warning <<



Bolt Hanger & Expansion Anchors

Bohrhakenlasche mit Fixierungspunkt und großer Öse. Nur mit Schwerlastanker aus Edelstahl verwenden.
Bolt hanger with fixation point and big eye. Use stainless steel bolts only.

ART.NO.	MATERIAL	DRILL HOLE DIAMETER	SETS
HD03AL	stainless steel 316L	10 mm	
HD03AL-SET	stainless steel 316L	10 mm	set with FI1010A4
HD03AL12	stainless steel 316L	12 mm	
HD03AL12-SET	stainless steel 316L	12 mm	set with FI1210A4
FI1005A4	stainless steel, 71 mm	10 mm	
FI1010A4	stainless steel, 86 mm	10 mm	
FI1210A4	stainless steel, 96 mm	12 mm	



Glue in Bolts & Add ons

Klebehaken aus 8 mm Edelstahldraht mit großer Öse für 2 Karabiner. Verwende 14 mm Bohrer.
Glue in Bolt made of durable 8 mm stainless steel wire with a big eye for 2 carabiners. Use 14 mm drill.

ART.NO.	MATERIAL	FEATURES	LENGTH
HB01AL	stainless steel 316L		75 mm
HB11AL	stainless steel 316L		90 mm
HB21AL	stainless steel 316L		110 mm

>> note the latest UIAA anchor corrosion warning <<



ART.NO.	PRODUCT	FEATURES
FI30AB	Fischer AB300T	Injektionsmörtel injection mortar
FI00KP	Fischer KPM2	Klebepistole applicator gun
FI14BB	cleaning brush	for holes with a 14 mm diameter
FI20BB	cleaning brush	for holes with a 20/22 mm diameter




Splinted Carabiners

Karabiner aus Edelstahl mit Splint: MICRO mit Drahtbügel und D-Form mit Schnapper und Schrauber.
Stainless steel carabiners with splint: MICRO with wiregate and D-shape with snaggate and screwlock.

ART.NO.	MATERIAL	FEATURES	STRENGTH
NM02AL	stainless steel	splint, wiregate	25 kN
TN01BK-IS	stainless steel	splint, snaggate	33 kN
TN11AK-IS	stainless steel	splint, screwlock	40 kN

>> note the latest UIAA anchor corrosion warning <<



Rock Pitons

Messerhaken und U-Profil Haken aus Hartstahl in unterschiedlichen Dimensionen für Kalk und Granit. Knifeblades and u-profile pitons made of hardened steel in different dimensions.



KNIFEBLADES

ART.NO.	LENGTH	CATEGORY	H	WEIGHT
HM2014	20 mm	progression piton	1,4 mm	47 g
HM2020	20 mm	progression piton	2,0 mm	50 g
HM2026	20 mm	progression piton	2,6 mm	53 g
HM3518	35 mm	progression piton	1,8 mm	57 g
HM3528	35 mm	progression piton	2,8 mm	66 g
HM5014	50 mm	progression piton	1,4 mm	61 g
HM5024	50 mm	progression piton	2,4 mm	72 g
HM6520	65 mm	progression piton	2,0 mm	75 g
HM8017	80 mm	progression piton	1,7 mm	80 g

U-PROFILE

ART.NO.	LENGTH	CATEGORY	H	WEIGHT
HU708	70 mm	progression piton	8 mm	48 g
HU908	90 mm	safety piton	8 mm	68 g
HU1208	120 mm	safety piton	8 mm	110 g



EN 569

NITRO Anti-Theft

Diebstahlsicherung. Wird zwischen Karabiner und Rapidglied gesteckt und verhindert unlauteres Entfernen. Anti-theft protection. Is placed inbetween carabiner and maillon rapide.

ART.NO.	MATERIAL	FEATURES	UNIT
ZS00KS-10	polymer	anti-theft protection	10 pcs.
>> carabiner not included <<			




NEW

Pulley

Seitrolle mit aufklappbaren Seitenlaschen und Kunststoffrolle. Hinged side blades and synthetic pulley.

ART.NO.	MATERIAL & FINISH	LOAD	STRENGTH
AL02A	● alu polished, plastic	2x2 kN	15 kN
AL02B	● alu anodized, plastic	2x2 kN	15 kN



max. 11 mm EN 12278



Wall Hammer

Klassischer Felshammer mit Manschette. Classic wall hammer with sleeve.

ART.NO.	MATERIAL	FEATURES	LENGTH
EH02A	steel, rubber	sleeve	35 cm




520 g



Accessory Carabiners

Kleiner Alukarabiner für geringe Lasten. Nicht zum Klettern verwenden. Kein CE! Small aluminium carabiner for accessories, do not use for climbing. No CE!

ART.NO.	MATERIAL & FINISH	FEATURES
ZA01A	● alu polished	
ZA01B	● alu anodized	
ZA01B-S	● alu anodized	splint



81/47 mm 22 mm 26/27 g



NEW

Maillon Rapide

Die originalen Rapidglieder, CE-geprüft und markiert. Original maillon rapide, CE-certified and marked.

ART.NO.	MATERIAL & FINISH	DIAMETER	STRENGTH
RG07	stainless steel	7 mm G0	40 kN
RG08	steel zinc plated	8 mm	35 kN
RG10	steel zinc plated	10 mm	55 kN
RG10i	stainless steel	10 mm	90 kN



COBRA® SPORT

Beidseitig einfädelbare COBRA® Sicherheits Gurtschnalle in 2 Gurtbreiten für Rucksack-Hüftgurte. Einfache Bedienung durch XL-Clips, auch mit Handschuhen. Ideal für Lawenrucksäcke geeignet. Adjustable COBRA® safety buckle to equip hip straps of backpacks. Easy handling due to XL clips. Particularly suitable for avalanche airbag systems.

ART.NO.	MATERIAL & FINISH	FEATURES
FC25WVV-XL-SPORT	○ alu powdercoated	25 mm, XL clips
FC38WVV-XL-SPORT	○ alu powdercoated	38 mm, XL clips



Fashion Fashion

COBRA® Belts p 50



COBRA® GÜRTEL

COBRA® BELTS



LEATHER BELT COBRA® 38

Schon mal 18 kN Zug gehalten? Eine Raumstation mit Nachschub versorgt? Weltrekorde in der Stratosphäre gebrochen? Oder als Hollywood Requisite gefeiert worden? Die COBRA®, stärkste & sicherste Schnalle weltweit, übernimmt überall dort tragende Rollen, wo du es nicht erwarten würdest. Jetzt gibt es das kleine Stück Aluminium, stolz entwickelt und zu 100% gefertigt in Tirol, als Fashion Accessoire am hochwertigen Ledergürtel. Erfahre mehr über die COBRA® und ihre vielfältigen Einsatzbereiche:

Already held 18 kN? Helped resupply a space station? Broken world records in the stratosphere? No stranger to the spotlight in Hollywood? The COBRA® Quick Release, the world's strongest and safest buckle, takes on important roles in places you wouldn't expect. This little piece of aluminium, proudly developed, designed, and manufactured in Tirol, is now available as a fashion accessory on a high-end leather belt. Learn more about the AustriAlpin COBRA® and its wide range of use:



ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BC80BX-N	● leather ● alu anodized	XS	80 cm
BC90BX-N	● leather ● alu anodized	S	90 cm
BC100BX-N	● leather ● alu anodized	M	100 cm
BC110BX-N	● leather ● alu anodized	L	110 cm



LEATHER BELT COBRA® 38

Technology meets fashion. Gürtel aus schwarzem Echtleder mit original COBRA® Schnalle.
Technology meets fashion. Black leather belt with an original COBRA® buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BC80BX	● leather ● alu anodized	XS	80 cm
BC90BX	● leather ● alu anodized	S	90 cm
BC100BX	● leather ● alu anodized	M	100 cm
BC110BX	● leather ● alu anodized	L	110 cm



LEATHER BELT COBRA® 38

Technology meets fashion. Gürtel aus dunkelbraunem Echtleder mit original COBRA® Schnalle.
Technology meets fashion. Dark brown leather belt with an original COBRA® buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BC80AU	● leather ● alu polished	XS	80 cm
BC90AU	● leather ● alu polished	S	90 cm
BC100AU	● leather ● alu polished	M	100 cm
BC110AU	● leather ● alu polished	L	110 cm



LEATHER BELT COBRA® 38

Technology meets fashion. Gürtel aus schwarzem Echtleder mit original COBRA® Schnalle.
Technology meets fashion. Black leather belt with an original COBRA® buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BC80MX	● leather ● alu anodized	XS	80 cm
BC90MX	● leather ● alu anodized	S	90 cm
BC100MX	● leather ● alu anodized	M	100 cm
BC110MX	● leather ● alu anodized	L	110 cm



TEXTILE BELT COBRAFRAME 38

Gürtel aus knallig blauem Webband und schwarzer COBRAFRAME Rückfädelschnalle.
Light blue colored textile belt with black COBRAFRAME thread back buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BF80KB	● textile ● alu ktl	XS	80 cm
BF90KB	● textile ● alu ktl	S	90 cm
BF100KB	● textile ● alu ktl	M	100 cm
BF110KB	● textile ● alu ktl	L	110 cm



buckle belt strap

NEW



TEXTILE BELT COBRAFRAME 38

Gürtel aus schwarzem Webband und schwarzer COBRAFRAME Rückfädelschnalle.
Black colored textile belt with black COBRAFRAME thread back buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BF80KM	● textile ● alu ktl	XS	80 cm
BF90KM	● textile ● alu ktl	S	90 cm
BF100KM	● textile ● alu ktl	M	100 cm
BF110KM	● textile ● alu ktl	L	110 cm



buckle belt strap

NEW



TEXTILE BELT COBRAFRAME 38

Gürtel aus kiwi-grünem Webband und schwarzer COBRAFRAME Rückfädelschnalle.
Kiwi-green colored textile belt with black COBRAFRAME thread back buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BF80KN	● textile ● alu ktl	XS	80 cm
BF90KN	● textile ● alu ktl	S	90 cm
BF100KN	● textile ● alu ktl	M	100 cm
BF110KN	● textile ● alu ktl	L	110 cm



buckle belt strap

NEW



TEXTILE BELT COBRAFRAME 38

Gürtel aus terracotta-farbigem Webband und schwarzer COBRAFRAME Rückfädelschnalle.
Terracotta-colored textile belt with black COBRAFRAME thread back buckle.

ART.NO.	MATERIAL & FINISH	SIZE	WAIST
BF80KS	● textile ● alu ktl	XS	80 cm
BF90KS	● textile ● alu ktl	S	90 cm
BF100KS	● textile ● alu ktl	M	100 cm
BF110KS	● textile ● alu ktl	L	110 cm



buckle belt strap

NEW



Eis Ice



Ice Tools p 56

Ice Screws p 58

Ice Axes p 60

Crampons p 62

Groedel p 64




EISGERÄTE ICE TOOLS



K.I.C.E.R. ['kaize]

High-End Steileis- und Mixedgerät. Die neue Geometrie des K.I.C.E.R. verleiht dir beim Eisklettern perfekte Präzision und Dynamik. Im Winkel verstellbar, kann die Klinge jedem Kletterer und seinen Bedürfnissen angepasst werden. Die standardmäßig montierte Eisklinge ist in wenigen Handgriffen durch eine Mixedklinge oder Hohlhaupe ersetzbar und macht den K.I.C.E.R. dadurch zum perfekten Begleiter in Fels und Eis. High-End tool for steep ice and mixed. The new geometry of the K.I.C.E.R. PICK enables perfect precision and impact power. The angle of the pick can be adjusted to suit each individual's needs. The K.I.C.E.R. comes with the standard ice specific pick, but can be replaced with a mixed-specific or tube pick, making the K.I.C.E.R. the perfect partner for your goals in both ice and rock.




ART.NO.	COLOR	MATERIAL	FEATURES
EV60A-B	●	shaft: aluminium pick: steel	adjustable handle and pick incl. ice pick
EV60A-N	●	handle: 2 component polymer	



VAMPIR.2.ALPIN

Eisgerät für alpinen Terrain, auch als Steckpickel verwendbar.
Ice tool for alpine terrain, to be used as anchor point in snow as well.

ART.NO.	COLOR	MATERIAL	FEATURES
EV28A	●	shaft: aluminium pick: steel	incl. hammer, leash
EV29A	●		incl. shovel, leash



PRINZ.ESSIN & PRINZ

Die 3. Hand für Freerider und Ski-Alpinisten. Erhältlich mit Kunststoffgriff und als flaches Gerät mit Behelfs„plate“ zum Nachsichern, das perfekt in jeden Rucksack passt. Kein CE. Newly shaped mini-ice tool, available as assistant ice tool or as flat emergency ice tool to belay the follower. No CE.

ART.NO.	COLOR	MATERIAL & FINISH	FEATURES
EV49A	●	hardened steel, 2 comp. polymer	incl. handle
EV59A	●	hardened steel	incl. emergency plate



Add ons K.I.C.E.R

Das Rundum-Paket für den K.I.C.E.R.; aus gehärtetem Stahl.
All you need for K.I.C.E.R.; made of hardened steel.

ART.NO.	NAME	FEATURES	WEIGHT
EA60E	ice pick	adjustable pick for ice climbing	104 g
EA60M	mixed pick	adjustable pick for mixed climbing	107 g
EA60HH	tube pick	adjustable tube pick	120 g
EA60H	hammer	small hammer	32 g



Add ons VAMPIR

Das Rundum-Paket für den VAMPIR.
All you need for VAMPIR.

ART.NO.	NAME	FEATURES	WEIGHT
EA28E	ice pick	pick for ice climbing	120 g
EA11HH	tube pick	tube pick for smoothly frozen water	140 g
EC10A	light hammer	pitons setting possible	75 g
EB01V	adze	shovel	100 g
ED01A	dummy	lightens	5 g
EX01A	tuning	additional handle	36 g



FEATURES AND APPLICATION

NAME & ART.NO.	INCLUDED FEATURES	ADDITIONAL FEATURES	FIELD OF APPLICATION
K.I.C.E.R. EV60A-*	ice pick EA60E	mixed pick EA60M, tube pick EA60HH, hammer EA60H	Steileis, Mixed. Steep ice, mixed.
VAMPIR.2.ALPIN EV28A	ice pick EA28E, hammer EC10A	tube pick EA11HH, shovel EB01V, v2 tuning EX01A	Alpines Terrain, kombiniertes Gelände. Alpine and combined terrain.
VAMPIR.2.ALPIN EV29A	ice pick EA28E, shovel EB01V	tube pick EA11HH, hammer EC10A, v2 tuning EX01A	
PRINZ.ESSIN EV49A	mit Griff with handle		Freeriding, Ski Alpinismus, leicht und schnell Bergsteigen. Freeriding, ski alpinism, light mountaineering.
PRINZ EV59A	emergency plate		

EISSCHRAUBEN

ICE SCREWS



SIKO.FX Ice Screw

Kurbeleisschraube mit extra Biss und geringer Sprengwirkung. Längen-Farbkodierung.
Knob ice screw with special treatment and color code for the length.

ART.NO.	COLOR & MATERIAL	WEIGHT	LENGTH
ES08FX	● steel	110 g	8 cm. No CE.
ES12FX	● steel	133 g	12 cm. No CE.
ES17FX	● steel	162 g	17 cm
ES21FX	● steel	188 g	21 cm



EN 568



Ice Screw Set

Bestehend aus einer Eisschraubentasche gefüllt mit 7 Eisschrauben. Die Tasche gibt es auch ohne Füllung.
Consisting of one ice screw bag equipped with 7 ice screws. Bag is available without filling as well.

ART.NO.	FEATURES
SE07ICE	set of 8 pcs: 1x SZ07, 1x ES12FX, 5x ES17FX, 1x ES21FX
SZ07	● ice screw bag, protects your backpack



EN 568

photocredit: Klaus Kranebitter | climber: Benedikt Purner | location: Iceland




EISPICKEL ICE AXES



G-LIGHT

Bergführerpickel. Vereint gewichtssparende Materialien mit einer ergonomischen Schaftkrümmung.
Guide pick. Top performance guaranteed with an ergonomic shaft and lightweight materials.

ART.NO.	MATERIAL	FEATURES	WEIGHT
PC53GA	pick: steel		503 g
PC53GF	shovel & shaft: aluminium	with wristloop	563 g




55 cm EN 13089
Typ 1

COMPACT & COMPACT LIGHT

Komfortable Pickellinie mit Stahlkopf oder in der Light-Variante. Liegt dank ergonomischem Pickelkopf optimal in der Hand. Comfortable axe range with steel head or as light version. Ergonomically shaped axe head.

ART.NO.	MATERIAL	FEATURES	WEIGHT
PC__S	pick & shovel: steel		630+ g
PC__B	shaft: aluminium	with wristloop	727+ g
PC__LA	pick: steel		459+ g
PC__LF	shovel & shaft: aluminium	with wristloop	519+ g




53 cm EN 13089
60 cm Typ 1
67 cm
75 cm

>> __ INSERT LENGTH <<

COMPACT 2 STEEP

Die komfortable Pickellinie mit steiler Haue. Pickelkopf aus Stahl.
The comfortable axe range with steep pick. Axe head made of steel.

ART.NO.	MATERIAL	FEATURES	WEIGHT
PC__C	pick & shovel: steel		656+ g
PC__D	shaft: aluminium	with wristloop	745+ g




53 cm EN 13089
60 cm Typ 1
67 cm
75 cm

>> __ INSERT LENGTH <<

SIMPLE

Basis Pickellinie mit Leichtbau-Pickelkopf. Hohe Stabilität trotz geringem Gewicht.
Basic axe range with lightweight axe head, offers great stability.

ART.NO.	MATERIAL	FEATURES	WEIGHT
PS__S	pick & shovel: steel		509+ g
PS__B	shaft: aluminium	with wristloop	599+ g



53 cm EN 13089
60 cm Typ 1
67 cm
75 cm

>> __ INSERT LENGTH <<



STEIGEISEN & GRÖDEL CRAMPONS & GROEDEL




SKYSTEEP

Das variable Steileissteigeisen für technisch anspruchsvolles Gelände, Steileis und Mixed. Die Frontalzacken können umgerüstet und das Steigeisen somit wahlweise als Mono- oder Duozack verwendet werden. Das zusätzlich verfügbare SKYSTEEP Kombi Tuning ermöglicht den einfachen Umbau vom Step-In in ein Kombi-System. So kann das SKYSTEEP auch mit bedingt steigeisenfesten Bergschuhen getragen werden. Variable crampon for technical terrain, steep ice and mixed. Optional use as single or twin-point crampon due to exchangeable points. The SKYSTEEP Kombi Tuning is an add-on for semi-technical mountain boots. It enables easy modification from a step-in to a kombi-system.



ART.NO.	MATERIAL & FINISH	FEATURES	TYPE
ST11B	● hardened steel	incl. 4 points, strap, antibot	step-in
ST00K		K.tuning: toe strap, spacer	kombi
ST11X		set: ST11B, ST00K, SZ01 bag	
ST00M	hardened steel	additional point	
SZ13Z	textile	additional strap	
SZ95Y	● plastic	addit. antibot (4 pcs/pair)	
SZ42	hardened steel	additional middle bar	



1066 g



SKYCLIMB

12-Zack Steigeisen für klassische und extreme Alpentouren, hochalpines Klettern, Steileis und kombinierte Touren. 12-point crampon for classic and demanding alpine tours, steep ice and combined tours.

ART.NO.	MATERIAL & FINISH	FEATURES	TYPE	WEIGHT
SC12B	● hardened steel	incl. strap, antibot	step-in	990 g
SC12K	● hardened steel	incl. strap, antibot	kombi	999 g
SC12C	● hardened steel	incl. strap, antibot	concept	980 g
SZ95R	● plastic	addit. antibot (4 pcs/pair)		
SZ43	hardened steel	additional middle bar		
SZ44	hardened steel	long middle bar		



EN 893

UIAA 153

SKYWALK

10-Zack Steigeisen für Trekking, Firnflanken, Skitouren, schnell & leicht Bergsteigen. 10-point crampon for trekking, north faces, skitouring, fast and light mountaineering.

ART.NO.	MATERIAL & FINISH	FEATURES	TYPE	WEIGHT
SW10B	● hardened steel	incl. strap, antibot	step-in	890 g
SW10K	● hardened steel	incl. strap, antibot	kombi	899 g
SW10C	● hardened steel	incl. strap, antibot	concept	880 g
SZ95R	● plastic	addit. antibot (4 pcs/pair)		
SZ43	hardened steel	additional middle bar		
SZ44	hardened steel	long middle bar		



EN 893

UIAA 153



TYROL P12

12-Zacker für kombinierte und klassische Touren, Steileis und hochalpines Gelände. 12-point crampon for classical, demanding and combined alpine tours, and steep ice.

ART.NO.	MATERIAL & FINISH	FEATURES	TYPE	WEIGHT
SP12B	● hardened steel	incl. strap, antibot	step-in	930 g
SP12K	● hardened steel	incl. strap, antibot	kombi	920 g
SP12C	● hardened steel	incl. strap, antibot	concept	850 g
SZ11	textile	additional strap		
SZ75	vibram	additional antibot (1pc/pair)		
SZ23	hardened steel	additional middle bar		



EN 893

UIAA 153



TREKKING

10-Zack Steigeisen mit kleinem Packmaß für Skitouren, Trekking, klassische und anspruchsvolle Alpentouren. 10-point crampon with small packing size for ski mountaineering, trekking, classical mountaineering.

ART.NO.	MATERIAL & FINISH	FEATURES	TYPE	WEIGHT
SB01K	● hardened steel	incl. strap, antibot	kombi	820 g
SB01A	● hardened steel	incl. strap, antibot	concept	760 g
SZ11	textile	additional strap		
SZ50	vibram	additional antibot (1pc/pair)		
SZ33	hardened steel	additional middle bar		



EN 893

UIAA 153



EASY

8-Zack Steigeisen für leichte Alpentouren, Jagd- und Forstbereich. Ohne Frontalzacken. 8 point crampon for easy alpine tours, hunting, forestry. Without front points.

ART.NO.	MATERIAL & FINISH	FEATURES	TYPE
SA02C	● hardened steel	incl. strap, exkl. antibot	concept
SZ85	vibram	antibot (2 pcs/pair)	
SZ11	textile	additional strap	
SZ33	hardened steel	additional middle bar	



640 g

EN 893

UIAA 153



Hunting & Forestry

Vielzackeisen mit extra kurzen Zacken für den Jagd- und Forstbereich.
Multipoint crampon with extra short points for hunting and forestry.



ART.NO.	MATERIAL	FEATURES	TYPE	WEIGHT
SF01K	● hardened steel	incl. strap, antibot	kombi	860 g
SF01A	● hardened steel	incl. strap	concept	800 g



POWER GRIP

6-Zack Grödel für Wanderungen, Jagd- und Forstbereich.
6-point groedel for hiking, hunting and forestry.

ART.NO.	MATERIAL	FEATURES	TYPE
SG01P	● hardened steel	point length 3 cm	concept



220 g



TOP GRIP & GROEDEL DIAGONAL

4-Zack Grödel für Schuhe mit Absatz bzw. mit kurzen Doppelzacken.
4-point groedel for all shoes with heel or with short twin points.

ART.NO.	MATERIAL	FEATURES	TYPE
SG20A	● hardened steel	point length 1,5 cm	strap
SG30A	● hardened steel	point length 1,5 cm	strap

155 g
125 g

Add Ons

Steigeisentasche und Zackenschutz zum Schutz von Rucksack und Material.
Crampon bag and point protection to protect your backpack and your equipment.



ART.NO.	MATERIAL	FEATURES
SZ01	textile	size: 35 x 15 x 20 cm, with zipper
SZ02	plastic	for 12 points, comes in pairs

































EINSATZGEBIETE FIELD OF APPLICATION

CRAMPONS	SKYSTEEP	SKYCLIMB	SKYWALK	TYROL P12	TREKKING	EASY	FORESTRY
DRYTOOLING & MIXED	● ●	-	-	-	-	-	-
STEILEIS STEEP ICE	● ●	●	-	●	-	-	-
FIRNFLANKEN, NORDWAND NORTHFACES	-	● ●	●	● ●	-	-	-
ANSPRUCHSVOLLE UND KOMBINIERT ALPINTOUREN DEMANDING AND COMBINED TOURS	-	● ●	●	● ●	●	-	-
SKITOUREN, HOCHTOUREN SKI TOURING, GLACIER TRACKS	-	-	● ●	-	● ●	●	-
JAGD & FORST HUNTING & FORESTRY	-	-	-	-	-	●	● ●
ICE TOOLS	K.I.C.E.R	VAMPIR.2.ALPIN	PRINZ	G-LIGHT	COMPACT	COMPACT 2 STEEP	SIMPLE
DRYTOOLING & MIXED	● ●	-	-	-	-	-	-
STEILEIS STEEP ICE	● ●	●	-	-	-	-	-
FIRNFLANKEN, NORDWAND NORTHFACES	-	● ●	●	● ●	-	● ●	-
ANSPRUCHSVOLLE UND KOMBINIERT ALPINTOUREN DEMANDING AND COMBINED TOURS	-	● ●	-	● ●	●	● ●	-
SKITOUREN, HOCHTOUREN SKI TOURING, GLACIER TRACKS	-	-	● ●	●	● ●	●	● ●
JAGD & FORST HUNTING & FORESTRY	-	-	-	-	-	-	-




































NON LOCKING CARABINERS

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
ELEVEN						
Austria	ELEVEN	fully anodized	KE01BK	9006381340170	40	
Austria	ELEVEN	fully anodized	KE06BK	9006381340675	40	
MICRO						
Austria	MICRO wire	eco	KM01AL	9006381400119	40	
Austria	MICRO wire	-	KM01BL-B	9006381400195	40	
Austria	MICRO wire	-	KM01BL-I	9006381420209	40	
Austria	MICRO wire	-	KM01BL-N	9006381420261	40	
Austria	MICRO wire	-	KM01BL-O	9006381420247	40	
Austria	MICRO wire	-	KM01BL-P	9006381420285	40	
Austria	MICRO wire	-	KM01BL-U	9006381420223	40	
Austria	MICRO wire	-	KM01BL-Y	9006381420216	40	
Austria	MICRO wire.6 Set	set of 6	KM01BL.6	9006381710508	1	
Austria	MICRO wire stainless steel	stainless steel	NM01AL	9006381220182	40	
Austria	MICRO wire stainless steel	stainless steel, splint	NM02AL	9006381250219	40	
Austria	MICRO snappgate	-	KM01AM	9006381420155	40	
Austria	MICRO snappgate	-	KM01BM	9006381420162	40	
Austria	MICRO snappgate	-	KM06AM	9006381420650	40	
Austria	MICRO snappgate	-	KM06BM	9006381420667	40	
ROCKIT						
Austria	ROCKIT light	eco	KG01AL	9006381360185	40	
Austria	ROCKIT snappgate	eco	KG01AC	9006381360147	40	
Austria	ROCKIT snappgate	-	KG01BC-O	9006381360123	40	
Austria	ROCKIT snappgate	-	KG01BC-Y	9006381004843	40	
Austria	ROCKIT snappgate	eco	KG06AC	9006381360673	40	
Austria	ROCKIT snappgate	-	KG06BC-G	9006381360628	40	
Austria	ROCKIT snappgate	-	KG06BC-Y	9006381360635	40	
OVALO						
Austria	OVALO	round profile	KA01A	9006381300112	40	
Austria	OVALO	round profile	KA01B-Y	9006381300129	40	

LOCK	MATERIAL & FINISH	CARABINER STRENGTH KN			CARABINER SIZE & GATE OPENING MM		WEIGHT G	STANDARDS
								
straight snappgate	 aluminium anodized	25	8	11	102/58	22	50	EN 12275 & UIAA 121
bent snappgate	 aluminium anodized	25	8	11	102/58	24	50	EN 12275 & UIAA 121
wiregate	 aluminium polished	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	35	EN 12275 & UIAA 121
wiregate	 aluminium anodized	22	8	7	94/56	20	210	EN 12275 & UIAA 121
wiregate	 stainless steel polished	25	9	12	94/56	20	91	EN 12275 & UIAA 121
wiregate	 stainless steel polished	25	9	12	94/56	20	91	EN 12275 & UIAA 121
straight snappgate	 aluminium polished	22	8	7	94/56	20	39	EN 12275 & UIAA 121
straight snappgate	 aluminium anodized	22	8	7	94/56	20	39	EN 12275 & UIAA 121
bent snappgate	 aluminium polished	22	8	7	94/56	22	39	EN 12275 & UIAA 121
bent snappgate	 aluminium anodized	22	8	7	94/56	22	39	EN 12275 & UIAA 121
wiregate	 aluminium polished	26	10	10	98/59	26	44	EN 12275 & UIAA 121
straight snappgate	 aluminium polished	26	10	10	98/59	22	49	EN 12275 & UIAA 121
straight snappgate	 aluminium anodized	26	10	10	98/59	22	49	EN 12275 & UIAA 121
straight snappgate	 aluminium anodized	26	10	10	98/59	22	49	EN 12275 & UIAA 121
bent snappgate	 aluminium polished	26	10	10	98/59	24	49	EN 12275 & UIAA 121
bent snappgate	 aluminium anodized	26	10	10	98/59	24	49	EN 12275 & UIAA 121
bent snappgate	 aluminium anodized	26	10	10	98/59	24	49	EN 12275 & UIAA 121
snappgate	 aluminium polished	24	10	7	105/56	22	57	EN 12275 & UIAA 121
snappgate	 aluminium anodized	24	10	7	105/56	22	57	EN 12275 & UIAA 121






























LOCKING CARABINERS

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
SMALL LOCKING CARABINERS						
Austria	ELEVEN	–	KE01BKS	9006381340163	40	
Austria	MICRO	–	KM01AMS	9006381420131	40	
Austria	MICRO	–	KM01BMS	9006381420124	40	
Austria	MICRO stainless steel	reversed autolock	NM31AK	9006381253166	40	
Austria	MICRO stainless steel	reversed autolock	NM31XK	9006381253142	40	
Austria	ROCKIT	–	KG01ACS	9006381360215	40	
Austria	ROCKIT	–	KG01BCS	9006381360222	40	
Austria	ROCKET	oscillation safe	FP06B-B	9006381007783	100	
Austria	ROCKET	oscillation safe	FP06B-Y	9006381007226	100	
Austria	ROCKET	oscillation safe	FP06B-R	9006381007233	100	
HMS MINI						
Austria	HMS MINI.MI screw	round profile	KO11B-G	9006381431168	40	
Austria	HMS MINI.MI screw	round profile	KO11B-I	9006381431151	40	
Austria	HMS MINI.MI screw	round profile	KO11B-N	9006381431144	40	
Austria	HMS MINI.MI screw	round profile	KO11B-P	9006381431182	40	
Austria	HMS MINI.MI autolock	round profile	KO35B-N	9006381006670	40	
Austria	HMS MINI.MI autolock	round profile	KO35B3-G	9006381007288	40	
HMS RONDO						
Austria	HMS RONDO screw	round profile	KR11A	9006381471119	40	
Austria	HMS RONDO screw	round profile	KR11B-B	9006381471126	40	
Austria	HMS RONDO screw	round profile	KR11B-G	9006381471164	40	
Austria	HMS RONDO screw	round profile	KR11B-O	9006381471140	40	
Austria	HMS RONDO screw	round profile	KR11B-R	9006381471195	40	
Austria	HMS RONDO screw	round profile	KR11B-X	9006381471188	40	
Austria	HMS RONDO screw	round profile	KR11B-Y	9006381471171	40	
Austria	HMS RONDO Selfie screw	Selfie, round profile	KR11BS-B	9006381471225	40	
Austria	HMS RONDO Selfie screw	Selfie, round profile	KR11BS-X	9006381007868	40	
Austria	HMS RONDO autolock	round profile	KR35B-X	9006381473595	40	
Austria	HMS RONDO autolock	round profile	KR35B-Y	9006381000043	40	
Austria	HMS RONDO autolock	round profile	KR35B3-R	9006381473557	40	
Austria	HMS RONDO autolock	round profile	KR35B3-X	9006381473526	40	
Austria	HMS RONDO autolock	SAFELOCK, round profile	KR31B4-X	9006381006557	40	

LOCK	MATERIAL & FINISH	CARABINER STRENGTH KN	CARABINER SIZE & GATE OPENING MM	WEIGHT G	STANDARDS		
							
screwlock	 aluminium anodized	25	8 11	102/58	19	64	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium polished	22	8 7	94/56	17	50	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	22	8 7	94/56	17	50	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 stainless steel polished	34	12 13	94/56	13	136	EN 12275 & EN 362
3-way-autolock	 stainless steel ktl	34	12 13	94/56	13	136	EN 12275 & EN 362
screwlock	 aluminium polished	26	10 10	98/59	19	63	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	26	10 10	98/59	19	63	EN 12275 & EN 362 & UIAA 121
autolock	 aluminium anodized	22	– 8	98/62	12	65	EN 362-M
autolock	 aluminium anodized	22	– 8	98/62	12	65	EN 362-M
autolock	 aluminium anodized	22	– 8	98/62	12	65	EN 362-M
screwlock	 aluminium anodized	22	10 6	100/66	23	72	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	22	10 6	100/66	23	72	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	22	10 6	100/66	23	72	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	22	10 6	100/66	23	72	EN 12275 & EN 362 & UIAA 121
2-way-autolock	 aluminium anodized	22	10 6	100/66	22	70	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	22	10 6	100/66	22	70	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium polished	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	91	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	23	10 7	110/72	27	91	EN 12275 & EN 362 & UIAA 121
2-way-autolock	 aluminium anodized	23	10 7	110/72	26	87	EN 12275 & EN 362 & UIAA 121
2-way-autolock	 aluminium anodized	23	10 7	110/72	26	87	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	23	10 7	110/72	26	87	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	23	10 7	110/72	26	87	EN 12275 & EN 362 & UIAA 121
3-way-autolock+	 aluminium anodized	23	10 7	110/72	26	87	EN 12275 & EN 362 & UIAA 121

LOCKING CARABINERS

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	HMS RONDO Selfie autolock	Selfie	KR35B3S-B	9006381473533	40	
Austria	HMS RONDO Selfie autolock	Selfie	KR35B3S-N	9006381006663	40	
Austria	HMS RONDO Selfie autolock	Selfie	KR35B3S-X	9006381007837	40	
OVAL CARABINERS						
Austria	OVALO screw	-	KA11A	9006381301119	40	
Austria	OVALO screw	-	KA11B-B	9006381301133	40	
Austria	OVALO screw	-	KA11B-G	9006381301157	40	
Austria	OVALO screw	-	KA11B-N	9006381301188	40	
Austria	OVALO screw	-	KA11B-X	9006381004775	40	
Austria	OVALO screw	-	KA11B-Y	9006381301140	40	
Austria	OVALO screw Limited Edition	Limited Edition	KA11B-BN	9006381006588	40	
Austria	OVALO screw Limited Edition	Limited Edition	KA11B-NB	9006381007004	40	
Austria	OVALO screw	Gate Red	KA11B-Y-GR	9006381007844	40	
Austria	OVALO screw Traditional	Gate Red	KA11BK-B-GR	9006381301225	40	
Austria	OVALO screw Traditional	Gate Red	KA11BK-G-GR	9006381301263	40	
Austria	OVALO screw Traditional	Gate Red	KA11BK-R-GR	9006381301287	40	
Austria	OVALO screw Traditional	Gate Red	KA11BK-Z-GR	9006381301294	40	
Austria	OVALO autolock	-	KA35B-Y	9006381000012	40	
Austria	OVALO autolock	-	KA35B3-G	9006381303687	40	
Austria	OVALO autolock	-	KA35B3-X	9006381004782	40	
BIG SIZED LOCKING CARABINERS						
Austria	PIRUM screw	big gate, single piece marking	KC11B-B	9006381321148	40	
Austria	PIRUM screw	big gate, single piece marking	KC11B-X	9006381004829	40	
Austria	PIRUM autolock	big gate, single piece marking	KC35B3-G	9006381323517	40	
Austria	PIRUM autolock	big gate, single piece marking	KC35B3-X	9006381323593	40	
SPECIAL LOCKING CARABINERS						
Austria	OVALOCK	push & open	KA65B-N	9006381306541	40	
Austria	OVALOCK	push & open	KA65B-X	9006381004805	40	
Austria	OVALOCK	push & open	KA65B-Y	9006381306572	40	
Austria	FIFTY-FIFTY autolock	patented	KX55B	9006381303571	40	
Austria	FIFTY-FIFTY autolock	patented	KX55O	9006381303502	40	
Austria	FIFTY-FIFTY autolock	patented	KX55Z	9006381535538	40	












LOCK	MATERIAL & FINISH	CARABINER STRENGTH KN	CARABINER SIZE & GATE OPENING MM	WEIGHT G	STANDARDS
3-way-autolock	 aluminium anodized	23	10/72	89	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	23	10/72	89	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	23	10/72	89	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium polished	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	24	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	25	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	25	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	25	10/56	69	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	25	10/56	69	EN 12275 & EN 362 & UIAA 121
2-way-autolock	 aluminium anodized	24	10/56	67	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	24	10/56	67	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	24	10/56	67	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	30	10/76	98	EN 12275 & EN 362 & UIAA 121
screwlock	 aluminium anodized	30	10/76	98	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	30	10/76	96	EN 12275 & EN 362 & UIAA 121
3-way-autolock	 aluminium anodized	30	10/76	96	EN 12275 & EN 362 & UIAA 121
ovalock	 aluminium anodized	24	10/56	70	EN 12275 & EN 362 & UIAA 121
ovalock	 aluminium anodized	24	10/56	70	EN 12275 & EN 362 & UIAA 121
ovalock	 aluminium anodized	24	10/56	70	EN 12275 & EN 362 & UIAA 121
autolock	 aluminium anodized	26	10/63	90	EN 12275 & EN 362 & UIAA 121
autolock	 aluminium anodized	26	10/63	90	EN 12275 & EN 362 & UIAA 121
autolock	 aluminium anodized	26	10/63	90	EN 12275 & EN 362 & UIAA 121
















BELAY

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	FISH Autotuber Set	available only in combination with HMS RONDO autolock Selfie	AB20B-SET	9006381006717	1	
Italy	AA Tuber Standard	–	AB01B	9006381430123	1	
Austria	NEMO	to be used with 6 mm cord / rope only	AF09B	9006381470921	1	
Austria	NEMO	to be used with 6 mm cord / rope only	AF09X	9006381470990	1	
Austria	NO.MAD	special figure 8	AF10B	9006381471027	1	
Austria	NO.MAD	special figure 8	AF10A	9006381471010	1	
Austria	NO.MAD	special figure 8	AF10X	9006381471096	1	
Austria	ROPE X	special figure 8, guide tool	AF50C	9006381475032	1	
Austria	ROPE X	special figure 8, guide tool	AF50H-X	9006381475094	1	
Italy	Figure 8	traditional figure 8	AF02B	9006381470228	1	
Austria	Figure 8 Special	special figure 8	AF01B	9006381470129	1	

ROPES

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
France	ROCK.STAR 9.4	single rope, middle marking	CS500Y	9006381495061	1	
France	ROCK.STAR 9.4	single rope, middle marking	CS600Y	9006381496068	1	
France	ROCK.STAR 9.4	single rope, middle marking	CS700Y	9006381497065	1	
France	ROCK.STAR 9.4	single rope, middle marking	CS800Y	9006381498062	1	
France	ROCK.STAR 9.4	single rope	CS2000Y	9006381490066	1	
France	HARD.ROCK 9.8	single rope, middle marking	CS50BG	9006381495085	1	
France	HARD.ROCK 9.8	single rope, middle marking	CS60BG	9006381496082	1	
France	HARD.ROCK 9.8	single rope, middle marking	CS70BG	9006381497089	1	
France	HARD.ROCK 9.8	single rope, middle marking	CS80BG	9006381498086	1	
France	HARD.ROCK 9.8	single rope	CS200BG	9006381490080	1	
France	SAFE.ROCK 11.0	single rope, middle marking	CS50SR	9006381495047	1	
France	SAFE.ROCK 11.0	single rope, middle marking	CS60SR	9006381496044	1	
France	SAFE.ROCK 11.0	single rope, middle marking	CS70SR	9006381497041	1	
France	SAFE.ROCK 11.0	single rope, middle marking	CS80SR	9006381498048	1	
France	SAFE.ROCK 11.0	single rope	CS100SR	9006381491049	1	
France	SAFE.ROCK 11.0	single rope	CS200SR	9006381490042	1	

MATERIAL & FINISH	ROPE DIAMETER MM	SIZE MM	WEIGHT G	STANDARDS
 aluminium anodized	8–11	120/53	155 set	EN 15151-2, UIAA 129, EN 12275, EN 362, UIAA 121
 aluminium anodized	7,3–10,5	95/56	58	EN 15151-2
 aluminium anodized	6	103/70	49	EN 15151-2
 aluminium anodized	6	103/70	49	EN 15151-2
 aluminium anodized	7,8–11	130/90	107	EN 15151-2
 aluminium anodized	7,8–11	130/90	107	EN 15151-2
 aluminium anodized	7,8–11	130/90	107	EN 15151-2
 aluminium anodized	7,8–11	140/120	182	EN 15151-2
 aluminium anodized	7,8–11	140/120	182	EN 15151-2
 aluminium anodized	7,3–10,5	132/75	110	EN 15151-2
 aluminium anodized	7,8–11	115/95	107	EN 15151-2




MATERIAL & COLOR	ADDITIONAL INFORMATION	NUMBER OF FALLS	ROPE DIAMETER MM	LENGTH M	STANDARDS
 polyamide	–	6	9,4	50	EN 892 & UIAA 101
 polyamide	–	6	9,4	60	EN 892 & UIAA 101
 polyamide	–	6	9,4	70	EN 892 & UIAA 101
 polyamide	–	6	9,4	80	EN 892 & UIAA 101
 polyamide	–	6	9,4	200	EN 892 & UIAA 101
 polyamide	–	7	9,8	50	EN 892 & UIAA 101
 polyamide	–	7	9,8	60	EN 892 & UIAA 101
 polyamide	–	7	9,8	70	EN 892 & UIAA 101
 polyamide	–	7	9,8	200	EN 892 & UIAA 101
 polyamide	Long Life	11	11	50	EN 892
 polyamide	Long Life	11	11	60	EN 892
 polyamide	Long Life	11	11	70	EN 892
 polyamide	Long Life	11	11	80	EN 892
 polyamide	Long Life	11	11	100	EN 892
 polyamide	Long Life	11	11	200	EN 892



ROPES

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
France	ROCK.N.ROLL 8.2	double rop, middle marking	CS50HB	9006381495023	1	
France	ROCK.N.ROLL 8.2	double rope, middle marking	CS50HR	9006381495009	1	
France	ROCK.N.ROLL 8.2	double rope, middle marking	CS60HB	9006381496020	1	
France	ROCK.N.ROLL 8.2	double rope, middle marking	CS60HR	9006381496006	1	

SLINGS & CORDS

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
CZ	CORE.DY	rap line	ZS30DA	9006381693054	1	
CZ	CORE.DY	rap line	ZS60DA	9006381696017	1	
CZ	DYNA.MIT Set	set of 8 dyneema cord & carabiner	ZS04RY-SET	9006381006694	1	
CZ	DYNA.MIT	cord with dyneema core	ZS17RY-Z	9006381691791	1	
CZ	DYNA.MIT	cord with dyneema core	ZS29RY-G	9006381692965	1	
CZ	DYNA.MIT	cord with dyneema core	ZS29RY-R	9006381692996	1	
CZ	DYNA.MIT	cord with dyneema core	ZS53RY-B	9006381695324	1	
CZ	Dyneema Sling	-	ZS60BY-R	9006381696024	1	
CZ	Dyneema Sling	-	ZS60BY-B	9006381696093	1	
CZ	Dyneema Sling	-	ZS12BY	9006381691265	1	
GB	Dyneema Sling	-	ZS18BY	9006381691821	1	
Austria	TANGA	sling protection for dyneema	ZS11D-F10	9006381691173	10	
Austria	TANGA	sling protection	ZS11-F10	9006381000067	10	
CZ	QUICKDRAW sling	ROCKIT	ZS11-10	9006381007738	10	
CZ	QUICKDRAW sling	MICRO dyneema	ZS11DAE-10	9006381007752	10	
CZ	QUICKDRAW sling	ELEVEN wide	ZS11EB-10	9006381007745	10	

MATERIAL & COLOR	ADDITIONAL INFORMATION	NUMBER OF FALLS	ROPE DIAMETER MM	LENGTH M	STANDARDS
					
polyamide	Aqua Stop + Long Life	7	8,2	50	EN 892 & UIAA 101
polyamide	Aqua Stop + Long Life	7	8,2	50	EN 892 & UIAA 101
polyamide	Aqua Stop + Long Life	7	8,2	60	EN 892 & UIAA 101
polyamide	Aqua Stop + Long Life	7	8,2	60	EN 892 & UIAA 101












MATERIAL & COLOR	ADDITIONAL INFORMATION	MEASUREMENTS MM	LENGTH IN M	STANDARDS
				
vectran, aramide, PES	only for rapelling, 22 kN	6	30	EN 564
vectran, aramide, PES	only for rapelling, 22 kN	6	60	EN 564
dyneema, polyester, aluminium	including 4 cords of different lengths & 4 OVALO Gate Red carabiners in matching colors	6	1,7/2,9/ 2,9/5,3	EN 564, EN12275, EN 362, UIAA 121
dyneema, polyester	universal functionality, 22 kN	6	1,7	EN 564
dyneema, polyester	universal functionality, 22 kN	6	2,9	EN 564
dyneema, polyester	universal functionality, 22 kN	6	2,9	EN 564
dyneema, polyester	universal functionality, 22 kN	6	5,3	EN 564
dyneema	-	11	0,6	EN 566
dyneema	-	11	0,6	EN 566
dyneema	-	11	1,2	EN 566
dyneema	-	11	1,8	EN 566
-	-	-	-	-
-	-	-	-	-
polyamide	16 mm, 11 cm	-	-	EN 566
dyneema	11 mm, 11 cm	-	-	EN 566
polyamide	25 mm, 11 cm	-	-	EN 566



















SLINGS & CORDS

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
CZ	Quickdraw sling	ELEVEN	ZS20E-10	9006381007769	10	
CZ	slings cover	with AustriAlpin lettering	ZS11-S	-	10	
CZ	slings cover	with AustriAlpin lettering	ZS11D-S	-	10	
SK	Alpine Sling	-	ZS45DG	9006381694549	1	
SK	Alpine Sling	-	ZS12DG	9006381691241	1	
SK	Alpine Sling	-	ZS24DG	9006381692446	1	
SK	Triple Safety Loop	sling with 3 loops and 3 features	ZS00S	9006381690091	1	
SK	Prusik Sling	clamp sling	ZS45PS	9006381694587	1	

CHALK, TAPE & BOULDERING

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	LOOSE CHALK	finest magnesium carbonate powder	RT30CP	9006381403035	50	
Austria	LOOSE CHALK 50 pcs.	box	RT30CP50	9006381005772	1	
Austria	ONE SHOT	finest magnesium carbonate powder	RT25CP	9006381402533	200	
Austria	TWIN CHALKBALLS	minimize dust in climbing halls	RT35CB	9006381403530	200	
Austria	TWIN CHALKBALLS 200 pcs.	box	RT35CB200	9006381005789	1	
Austria	CHALKBALL	minimize dust in climbing halls	RT60CB	9006381406036	250	
Austria	CHALKBALL 250 pcs.	box	RT60CB250	9006381005802	1	
Austria	REFILLABLE CHALKBALL	refillable chalkball	RT70RF	9006381406012	200	
GB	LIQUID CHALK	stays on for longer	RT25LC	9006381402502	12	
GB	LIQUID CHALK 12 pcs.	box	RT25LC12	9006381005765	1	
Turkey	FINGER SUPPORT TAPE	2 cm	RT20FT	9006381402007	75	
Turkey	FINGER SUPPORT TAPE	2 cm	RT20FT-B	9006381402021	75	
Turkey	FINGER SUPPORT TAPE	2 cm	RT20FT-N	9006381007035	75	
Turkey	FINGER SUPPORT TAPE	2 cm	RT20FT-R	9006381402090	75	
Turkey	FINGER SUPPORT TAPE	2 cm	RT20FT-X	9006381007011	75	
Turkey	FINGER SUPPORT TAPE	2 cm	RT20FT-Y	9006381007028	75	
Turkey	FINGER SUPPORT TAPE 75 pcs.	box	RT20FT75	9006381005741	1	

MATERIAL & COLOR	ADDITIONAL INFORMATION	MEASUREMENTS MM	LENGTH M	STANDARDS
				
 polyamide	16 mm, 20 cm	-	-	EN 566
 textile	standard size 18 mm	-	-	-
 textile	dyneema size 15 mm	-	-	-
 spliced dyneema	eye loops seamlessly spliced	6	0,45	EN 566, EN 354
 spliced dyneema	eye loops seamlessly spliced	6	1,20	EN 566, EN 354
 spliced dyneema	eye loops seamlessly spliced	6	2,40	EN 354
 spliced dyneema	3 loops	6	0,49	EN 566, EN 354
 aramide PES	eye loops	12	0,45	EN 566, EN 354

COLOR	SIZE & QUANTITY
	
	300 g bag
	50x300 g bag
	25 g one shot bag
	2x35 g balls
	200x2x35 g balls
	1x60 g ball
	250x60 g ball
	70 g ball
	250 ml bottle
	12x250 ml bottle
	10 m roll
	10 m roll
	10 m roll
	10 m roll
	10 m roll
	10 m roll
	75x10 m rolls












CHALK, TAPE & BOULDERING










MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Turkey	FINGER SUPPORT TAPE	3,8 cm	RT38FT	9006381403806	45	
Turkey	FINGER SUPPORT TAPE	3,8 cm	RT38FT-B	9006381403820	45	
Turkey	FINGER SUPPORT TAPE	3,8 cm	RT38FT-N	9006381403844	45	
Turkey	FINGER SUPPORT TAPE	3,8 cm	RT38FT-R	9006381403899	45	
Turkey	FINGER SUPPORT TAPE	3,8 cm	RT38FT-X	9006381403813	45	
Turkey	FINGER SUPPORT TAPE	3,8 cm	RT38FT-Y	9006381403837	45	
Turkey	FINGER SUPPORT TAPE 45 pcs.	box	RT38FT45	9006381005796	1	
Austria	POWER PUTTY	warm up & training tool, yellow = easy resistance	RT01PP	9006381400188	50	
Austria	POWER PUTTY	warm up & training tool, green = medium resistance	RT02PP	9006381400287	50	
Austria	POWER PUTTY	warm up & training tool, blue = hard resistance	RT03PP	9006381400386	50	
Germany	Boulder Brush	made of natural hair, wood handle	ZU00BB	9006381710027	1	






HELMETS & VIA FERRATA

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
HELMETS						
Italy	HELM.UT	in mould	HS03-B	9006381560325	24	
Italy	HELM.UT	in mould	HS03-N	9006381560363	24	
Italy	HELM.UT	in mould	HS03-I	9006381560394	24	
Italy	HELM.UT	in mould	HS03-W	9006381006540	24	
Italy	Climbing Helmet	hard shell	HS00	9006381560004	24	
Italy	Kids Helmet	hard shell	HS01	9006381560103	24	

MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
VIA FERRATA						
Austria	COLT 2 STRETCH	–	AS90CS	9006381609093	1	
Austria	HYDRA STRETCH	with Ferrata.bloc	AS93CS	9006381609338	1	
Austria	FERRATA.BLOC	use only in comb. with a via ferrata set	AS00FB	9006381600021	1	

COLOR	SIZE & QUANTITY
	
	10 m roll
	10 m roll
	10 m roll
	10 m roll
	10 m roll
	10 m roll
	45x10 m roll
	56 g
	56 g
	56 g
–	1 pc.




















MATERIAL	SIZE CM	WEIGHT G	STANDARDS
			
 shell: polycarbonate, high density polystyrene (EPS)	54–62	245	EN 12492
 shell: polycarbonate, high density polystyrene (EPS)	54–62	245	EN 12492
 shell: polycarbonate, high density polystyrene (EPS)	54–62	245	EN 12492
 shell: polycarbonate, high density polystyrene (EPS)	54–62	245	EN 12492
 shell: advanced thermo material (ABS), high density polystyrene (EPS)	54–62	340	EN 12492
 shell: advanced thermo material (ABS), high density polystyrene (EPS)	48–57	320	EN 12492










ADDITIONAL INFORMATION	WEIGHT G	CARABINER STRENGTH KN	CARABINER SIZE MM	STANDARDS
				
 stretch Y-arms, in-webbing-brake	510	27/9/9	128/77/29	EN 958
 combination of COLT & FERRATA.BLOC	699	27/9/9	128/77/29	EN 958
 incl. in-webbing-brake	319	–	110/75/20	tested PPE directive

BOLTING

MADE IN	NAME	FEATURES	ART. NO.	EAN-CODE	PACKING UNIT *	NOTES
France	ring	without welding	HK01	9006381480104	100	
Italy	belystation	10 mm bolt hanger with double ring	HD01RR	9006381006656	1	
Italy	belystation	2x10 mm bolt hanger, chain, 2x ring	HK01HH	9006381480111	1	
Italy	belystation	2x10 mm bolt hanger, chain, Micro wire	HK02HH	9006381480241	1	
Italy	belystation	2x10 mm bolt hanger, chain, D-snapgate	HK03HH	9006381480340	1	
Italy	belystation	2x10 mm bolt hanger, chain, D-screwlock	HK04HH	9006381006564	1	
Austria	bolt hanger	10 mm	HD03AL	9006381410378	200	
Austria	bolt hanger & expansion anchor	10 mm + 86 mm bolt	HD03AL-SET	9006381004638	50	
Austria	bolt hanger	12 mm	HD03AL12	9006381410354	200	
Austria	bolt hanger & expansion anchor	12 mm +106 mm bolt	HD03AL12-SET	9006381410422	50	
Germany	expansion anchors	FBN II 10/05 K, 10 mm	FI1005A4	9006381540518		
Germany	expansion anchors	FBN II 10/10, 10 mm	FI1010A4	9006381541010		
Germany	expansion anchors	FBN II 10/20, 12 mm	FI1020A4	9006381003853		
Austria	glue in bolt	length 75 mm	HB01AL	9006381007455	150	
Austria	glue in bolt	length 90 mm	HB11AL	9006381007448	120	
Austria	glue in bolt	length 110 mm	HB21AL	9006381007431	100	
Germany	FISCHER AB300T	injection mortar	FI30AB	4048962241266	6	
Taiwan	FISCHER KPM2	applicator gun	FI00KP	4006209531174	1	
Germany	cleaning brush	for holes with a 14 mm diameter	FI14BB	4006209489802	1	
Germany	cleaning brush	for holes with a 20-22 mm diameter	FI20BB	4006209489819	1	
Austria	MICRO wire	with splint	NM02AL	9006381250219	40	
Austria	D ASYMM snapgate	with splint	TN01BK-IS	9006381770175	40	
Austria	D ASYMM screwlock	with splint	TN11AK-IS	9006381006175	40	

MADE IN	NAME	FEATURES	ART. NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	wall hammer	-	EH02A	9006381760213	1	
Austria	rockpiton	knifeblade	HM2014	9006381502059	1	
Austria	rockpiton	knifeblade	HM2020	9006381502028	1	
Austria	rockpiton	knifeblade	HM2026	9006381502080	1	
Austria	rockpiton	knifeblade	HM3518	9006381503599	1	
Austria	rockpiton	knifeblade	HM3528	9006381503513	1	
Austria	rockpiton	knifeblade	HM5014	9006381505050	1	
Austria	rockpiton	knifeblade	HM5024	9006381505067	1	
Austria	rockpiton	knifeblade	HM6520	9006381506521	1	

MATERIAL & FINISH	STRENGTH KN	MEASUREMENTS MM	WEIGHT G	STANDARDS
 stainless steel 316L	40	-	60	-
 stainless steel	-	-	208	-
 stainless steel	-	300	577	-
 stainless steel 316L	-	300	587	-
 stainless steel 316L	-	300	70	-
 stainless steel 316L	-	300	735	-
 stainless steel 316L	25	-	42	EN 959 UIAA 123
 stainless steel 316L	-	-	97	-
 stainless steel 316L	25	-	41	EN 959 UIAA 123
 stainless steel 316L	-	-	136	-
 stainless steel	-	71	-	-
 stainless steel	-	86	-	-
 stainless steel	-	96	-	-
 stainless steel 316L	25	75	100	EN 959
 stainless steel 316L	25	90	114	EN 959
 stainless steel 316L	25	110	130	EN 959
-	-	-	-	ETA-15/0263 ETA-10/0352
-	-	-	-	-
-	-	-	-	-
 stainless steel	25	94/56/20	91	EN12275, UIAA 121
 stainless steel	33	113/70/24	205	EN12275, UIAA 121
 stainless steel	40	113/70/25	250	EN 12275 + EN 362 M, UIAA 121

MATERIAL & FINISH	LENGTH MM	HEIGHT MM	WEIGHT G	STANDARDS
 steel	350	-	520	-
 hardened steel	20	1,4	47	EN 569
 hardened steel	20	2	50	EN 569
 hardened steel	20	2,6	53	EN 569
 hardened steel	35	1,8	57	EN 569
 hardened steel	35	2,8	66	EN 569
 hardened steel	50	1,4	61	EN 569
 hardened steel	50	2,4	72	EN 569
 hardened steel	65	2,0	75	EN 569

BOLTING





MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	rockpiton	knifeblade	HM8017	9006381508082	1	
Austria	rockpiton	U-profile	HU708	9006381587087	1	
Austria	rockpiton	U-profile, safety piton	HU908	9006381589081	1	
Austria	rockpiton	U-profile, safety piton	HU1208	9006381581283	1	
France	Maillon rapide	diameter 7 mm, 40 kN	RG07	9006381270705	100	
France	Maillon rapide	diameter 8 mm, 35 kN	RG08	9006381270804	100	
France	Maillon rapide	diameter 10 mm, 55 kN	RG10	9006381271009	50	
France	Maillon rapide	diameter 10 mm, 90 kN	RG10I	9006381271016	50	

ADD ONS




MADE IN	NAME	FEATURES	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	NITRO	anti theft protection	ZS00KS-10	9006381690084	10	
Austria	Pulley	-	AL02A	9006381530212	1	
Austria	Pulley	-	AL02B	9006381530229	1	
Austria	Accessory Carabiner	small carabiner for accessories	ZA01A	9006381510115	1	
Austria	Accessory Carabiner	small carabiner for accessories	ZA01B	9006381510122	1	
Austria	Accessory Carabiner	small carabiner for accessories with splint	ZA01B-S	9006381510191	1	
Austria	COBRA SPORT	25 mm dual adjustable safety buckle, XL-clips	FC25WVV-XL	9006381482580	1	
Austria	COBRA SPORT	38 mm dual adjustable safety buckle, XL-clips	FC38WVV-XL	9006381001736	1	

COBRA® BELTS

MADE IN	NAME	DESCRIPTION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
LEATHER						
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue and green COBRA®	BC80BX-N	9006381007790	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue and green COBRA®	BC90BX-N	9006381007806	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue and green COBRA®	BC100BX-N	9006381007820	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue and green COBRA®	BC110BX-N	9006381007813	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue COBRA®	BC80BX	9006381007509	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue COBRA®	BC90BX	9006381007523	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue COBRA®	BC100BX	9006381007462	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm blue COBRA®	BC110BX	9006381007486	1	

























MATERIAL & FINISH	LENGTH MM	HEIGHT/DIAMET. MM	WEIGHT G	STANDARDS
				
● hardened steel	80	1,7	80	EN 569
● hardened steel	70	8	48	EN 569
● hardened steel	90	8	68	EN 569
● hardened steel	120	8	110	EN 569
● stainless steel	79	7/large opening	60	EN 362
● steel zinc plated	74	8	77	EN 362
● steel zinc plated	89	10	137	EN 362
● stainless steel	89	10	149	EN 362

MATERIAL & FINISH	ADD. INFORMATION	WEIGHT G	STANDARDS
plastic		-	
● aluminium polished, plastic	rope diameter max. 11 mm	48	EN 12278
● aluminium anodized, plastic	rope diameter max. 11 mm	48	EN 12278
● aluminium polished	-	26	-
● aluminium anodized	-	26	-
● aluminium anodized	-	27	-
○ aluminium powdercoated	-	61	-
○ aluminium powdercoated	-	76	-

MATERIAL & COLOR	SIZE	BELT CM
		
● leather, aluminium	XS	95
● leather, aluminium	S	105
● leather, aluminium	M	115
● leather, aluminium	L	125
● leather, aluminium	XS	95
● leather, aluminium	S	105
● leather, aluminium	M	115
● leather, aluminium	L	125

COBRA® BELTS

MADE IN	NAME	DESCRIPTION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
LEATHER						
Austria/Germany	LEATHER BELT COBRA 38	darkbrown leather belt with 38 mm polished COBRA®	BC80AU	9006381007370	1	
Austria/Germany	LEATHER BELT COBRA 38	darkbrown leather belt with 38 mm polished COBRA®	BC90AU	9006381007387	1	
Austria/Germany	LEATHER BELT COBRA 38	darkbrown leather belt with 38 mm polished COBRA®	BC100AU	9006381007356	1	
Austria/Germany	LEATHER BELT COBRA 38	darkbrown leather belt with 38 mm polished COBRA®	BC110AU	9006381007363	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm matte black COBRA®	BC80MX	9006381007516	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm matte black COBRA®	BC90MX	9006381007530	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm matte black COBRA®	BC100MX	9006381007479	1	
Austria/Germany	LEATHER BELT COBRA 38	black leather belt with 38 mm matte black COBRA®	BC110MX	9006381007493	1	
TEXTILE						
Austria/Germany	TEXTILE BELT COBRAFRAME 38	light blue textile belt with 38 mm black COBRAFRAME	BF80KB	9006381007547	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	light blue textile belt with 38 mm black COBRAFRAME	BF90KB	9006381007585	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	light blue textile belt with 38 mm black COBRAFRAME	BF100KB	9006381007622	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	light blue textile belt with 38 mm black COBRAFRAME	BF110KB	9006381007707	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	black textile belt with 38 mm black COBRAFRAME	BF80KM	9006381007554	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	black textile belt with 38 mm black COBRAFRAME	BF90KM	9006381007592	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	black textile belt with 38 mm black COBRAFRAME	BF100KM	9006381007639	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	black textile belt with 38 mm black COBRAFRAME	BF110KM	9006381007714	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	kiwi colored textile belt with 38 mm black COBRAFRAME	BF80KN	9006381007561	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	kiwi colored textile belt with 38 mm black COBRAFRAME	BF90KN	9006381007608	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	kiwi colored textile belt with 38 mm black COBRAFRAME	BF100KN	9006381007646	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	kiwi colored textile belt with 38 mm black COBRAFRAME	BF110KN	9006381007691	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	terracotta colored textile belt with 38 mm black COBRAFRAME	BF80KS	9006381007578	1	
Austria/Germany	TEXTILE BELT COBRA FRAME 38	terracotta colored textile belt with 38 mm black COBRAFRAME	BF90KS	9006381007615	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	terracotta colored textile belt with 38 mm black COBRAFRAME	BF100KS	9006381007653	1	
Austria/Germany	TEXTILE BELT COBRAFRAME 38	terracotta colored textile belt with 38 mm black COBRAFRAME	BF100KS	9006381007721	1	










MATERIAL & COLOR	SIZE	BELT CM
 leather, aluminium	XS	95
 leather, aluminium	S	105
 leather, aluminium	M	115
 leather, aluminium	L	125
 leather, aluminium	XS	95
 leather, aluminium	S	105
 leather, aluminium	M	115
 leather, aluminium	L	125
 textile, aluminium	XS	95
 textile, aluminium	S	105
 textile, aluminium	M	115
 textile, aluminium	L	125
 textile, aluminium	XS	95
 textile, aluminium	S	105
 textile, aluminium	M	115
 textile, aluminium	L	125
 textile, aluminium	XS	95
 textile, aluminium	S	105
 textile, aluminium	M	115
 textile, aluminium	L	125
 textile, aluminium	XS	95
 textile, aluminium	S	105
 textile, aluminium	M	115
 textile, aluminium	L	125









ICE TOOLS

MADE IN	NAME	FIELD OF APPLICATION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	K.ICE.R	steep ice, mixed	EV60A-B	9006381906031	1	
Austria	K.ICE.R	steep ice, mixed	EV60A-N	9006381906079	1	
Austria	VAMPIR.2.ALPIN	alpine and combined terrain	EV28A	9006381902811	1	
Austria	VAMPIR.2.ALPIN	alpine and combined terrain	EV29A	9006381902910	1	
Austria	PRINZESSIN Assistant Icetool	freeriding, ski alpinism, mountaineering	EV49A	9006381904914	1	
Austria	PRINZ Assistant Icetool	freeriding, ski alpinism, mountaineering	EV59A	9006381905959	1	
ADD ONS K.ICE.R & VAMPIR						
Austria	Ice pick K.ICE.R	-	EA60E	9006381696055	1	
Austria	Mixed pick K.ICE.R	-	EA60M	9006381696048	1	
Austria	Tube pick K.ICE.R	water ice	EA60HH	9006381006618	1	
Austria	Hammer K.ICE.R	-	EA60H	9006381696062	1	
Austria	Ice pick VAMPIR	-	EA28E	9006381690411	1	
Austria	Tube pick VAMPIR	water ice	EA11HH	9006381691111	1	
Austria	Adze VAMPIR	-	EB01V	9006381700110	1	
Austria	Light Hammer VAMPIR	-	EC10A	9006381711017	1	
Austria	VAMPIR2 alpin TUNING	-	EX01A	9006389201176	1	
Austria	Dummy VAMPIR	-	ED01A	9006381720125	1	

ICE SCREWS

MADE IN	NAME	FIELD OF APPLICATION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	SIKO.FX.8 Ice Screw	-	ES08FX	9006381870868	1	
Austria	SIKO.FX.12 Ice Screw	-	ES12FX	9006381871223	1	
Austria	SIKO.FX.17 Ice Screw	-	ES17FX	9006381871728	1	
Austria	SIKO.FX.21 Ice Screw	-	ES21FX	9006381872114	1	
Austria	Ice Screw Set	-	SE07ICE	9006381710751	1	
China	Ice Screw Bag	-	SZ07	9006381927005	1	

MATERIAL	INCLUDED FEATURES	ADDITIONAL FEATURES	WEIGHT G	SIZE CM	STANDARDS
					
 shaft: aluminium alloy, pick: steel, handle: 2 component polymer	ice pick	mixed pick, tube pick, hammer	620	50	EN 13089 Typ 2
 shaft: aluminium alloy, pick: steel, handle: 2 component polymer	ice pick	mixed pick, tube pick, hammer	620	50	EN 13089 Typ 2
 shaft: aluminium alloy, pick: steel, handle: rubber	vampir pick, hammer	v2 tuning, tube pick, shovel	740	47	EN 13089 Typ 1
 shaft: aluminium alloy, pick: steel, handle: rubber	vampir pick, shovel	v2 tuning, tube pick, hammer	690	47	EN 13089 Typ 1
 body: hardened steel, handle: 2 component polymer	with handle	-	300	34	no CE
 body: hardened steel	without handle	emergency plate	300	34	no CE
hardened steel	-	-	104	-	-
hardened steel	-	-	107	-	-
hardened steel	-	-	120	-	-
hardened steel	-	-	32	-	-
hardened steel	-	-	120	-	-
hardened steel	-	-	140	-	-
hardened steel	-	-	100	-	-
hardened steel	-	-	75	-	-
stainless steel	-	-	36	-	-
hardened steel	-	-	5	-	-














MATERIAL	INCLUDED FEATURES	ADDITIONAL FEATURES	WEIGHT G	SIZE CM	STANDARDS
					
 steel	color code red	-	110	8	no CE
 steel	color code red	-	133	12	no CE
 steel	color code yellow	-	162	17	EN 568
 steel	color code green	-	188	21	EN 568
steel	set of 7 (1x12, 5x17, 1x21) + bag	-	-	-	EN 568
 textile	enough space for 7 ice screws	-	-	-	















ICE AXES

MADE IN	NAME	FIELD OF APPLICATION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	G-LIGHT	mountaineering, glacier tracks	PC53GA	9006381485376	1	
Austria	G-LIGHT	mountaineering, glacier tracks	PC53GF	9006381485369	1	
Austria	COMPACT LIGHT	mountaineering, glacier tracks	PC__LA	-	1	
Austria	COMPACT LIGHT	mountaineering, glacier tracks	PC__LF	-	1	
Austria	COMPACT	mountaineering, glacier tracks	PC__S	-	1	
Austria	COMPACT	mountaineering, glacier tracks	PC__B	-	1	
Austria	COMPACT STEEP	mountaineering, glacier tracks	PC__C	-	1	
Austria	COMPACT STEEP	mountaineering, glacier tracks	PC__D	-	1	
Austria	SIMPLE	mountaineering, glacier tracks	PS__S	-	1	
Austria	SIMPLE	mountaineering, glacier tracks	PS__B	-	1	

CRAMPONS

MADE IN	NAME	FIELD OF APPLICATION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	SKYSTEEP	multipoint crampon for steep ice and mixed	ST11B	9006381861125	1	
Austria	SKYSTEEP Kombi Tuning	add. modification tool: SKYSTEEP kombi	ST00K	9006381860050	1	
Austria	SKYCLIMB	12-point crampon for classic and demanding alpine tours, steep ice and combined tours	SC12B	9006381691227	1	
Austria	SKYCLIMB	12-point crampon for classic and demanding alpine tours, steep ice and combined tours	SC12C	9006381691234	1	
Austria	SKYCLIMB	12-point crampon for classic and demanding alpine tours, steep ice and combined tours	SC12K	9006381691258	1	
Austria	SKYWALK	10-point crampon for trekking, north faces, skitouring, fast and light mountaineering	SW10C	9006381891030	1	
Austria	SKYWALK	10-point crampon for trekking, north faces, skitouring, fast and light mountaineering	SW10K	9006381691234	1	
Austria	SKYWALK	10-point crampon for trekking, north faces, skitouring, fast and light mountaineering	SW10B	9006381891023	1	
Austria	TYROL P12	12-point crampon for classical and demanding alpine tours, steep ice, and combined tours	SP12B	9006381821228	1	
Austria	TYROL P12	12-point crampon for classical and demanding alpine tours, steep ice, and combined tours	SP12C	9006381821235	1	
Austria	TYROL P12	12-point crampon for classical and demanding alpine tours, steep ice, and combined tours	SP12K	9006381821259	1	
Austria	TREKKING	10-point crampon for ski mountaineering, trekking, classical mountaineering	SB01A	9006381680115	1	
Austria	TREKKING	10-point crampon for ski mountaineering, trekking, classical mountaineering	SB01K	9006381701117	1	

MATERIAL	INCLUDED FEATURES	ADDITIONAL FEATURES	WEIGHT G	SIZE CM	STANDARDS
					
 pick: steel, shovel & shaft: aluminium	without wristloop	-	503	55	EN 13089 Typ 1
 pick: steel, shovel & shaft: aluminium	with wristloop	-	563	55	EN 13089 Typ 1
 pick: steel, shovel & shaft: aluminium	without wristloop	-	459 +	53 60 67 75	EN 13089 Typ 1
 pick: steel, shovel & shaft: aluminium	with wristloop	-	519 +	53 60 67 75	EN 13089 Typ 1
 pick & shovel: steel, shaft: aluminium	without wristloop	-	630 +	53 60 67 75	EN 13089 Typ 1
 pick & shovel: steel, shaft: aluminium	with wristloop	-	727 +	53 60 67 75	EN 13089 Typ 1
 pick & shovel: steel, shaft: aluminium	without wristloop	-	656 +	53 60 67 75	EN 13089 Typ 1
 pick & shovel: steel, shaft: aluminium	with wristloop	-	745 +	53 60 67 75	EN 13089 Typ 1
 pick & shovel: steel, shaft: aluminium	without wristloop	-	509 +	53 60 67 75	EN 13089 Typ 1
 pick & shovel: steel, shaft: aluminium	with wristloop	-	599 +	53 60 67 75	EN 13089 Typ 1


MATERIAL	INCLUDED FEATURES	ADDITIONAL FEATURES	BINDING	WEIGHT G	STANDARDS
					
 hardened steel	4 points, strap, antibot	ST11X SKYSTEEP set (ST11B+ST00K+bag)	step-in	1066	EN 893
-	toe strap, spacer	-	kombi	-	-
 hardened steel	strap, antibot	long middle bar	step-in	990	EN 893
 hardened steel	strap, antibot	long middle bar	concept	980	EN 893
 hardened steel	strap, antibot	long middle bar	kombi	999	EN 893
 hardened steel	strap, antibot	long middle bar	concept	880	EN 893
 hardened steel	strap, antibot	long middle bar	kombi	899	EN 893
 hardened steel	strap, antibot	long middle bar	step-in	890	EN 893
 hardened steel	strap, antibot	-	step-in	930	EN 893
 hardened steel	strap, antibot	-	concept	850	EN 893
 hardened steel	strap, antibot	-	kombi	920	EN 893
 hardened steel	strap, antibot	-	concept	760	EN 893
 hardened steel	strap, antibot	-	kombi	820	EN 893


CRAMPONS

MADE IN	NAME	FIELD OF APPLICATION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	EASY	8 point crampon for easy alpine tours, hunting, forestry and frozen grooves	SA02C	9006381690237	1	
Austria	HUNTING & FORESTRY	multipoint crampon for hunting and forestry	SF01A	9006381720118	1	
Austria	HUNTING & FORESTRY	multipoint crampon for hunting and forestry	SF01K	9006381005901	1	
CRAMPON ADD ONS						
China	Crampon Bag	-	SZ01	9006381920105	1	
China	Point Protectors	-	SZ02	9006381920204	1	
Austria	Crampon middle bar SKYSTEEP	-	SZ42	9006381006052	1	
Austria	Crampon middle bar SKY	-	SZ43	9006381006069	1	
Austria	Crampon middle bar SKY	-	SZ44	9006381924400	1	
Austria	Crampon middle bar TYROL P12	-	SZ23	9006381922307	1	
Austria	Crampon middle bar TREKKING/EASY	-	SZ33	9006381923304	1	
Austria	Antibot SKYSTEEP	-	SZ95Y	9006381929597	1	
Austria	Antibot SKY	-	SZ95	9006381929504	1	
Austria	Antibot TYROL P12	-	SZ75	9006381927500	1	
Austria	Antibot TREKKING	-	SZ50	9006381925001	1	
Austria	Antibot EASY	-	SZ85	9006381006076	1	

GROEDEL

MADE IN	NAME	FIELD OF APPLICATION	ART.NO.	EAN-CODE	PACKING UNIT *	NOTES
Austria	POWER GRIP	6-point groedel for glacier hiking, hunting and forestry	SG01P	9006381730179	1	
Austria	TOP GRIP	4-point groedel for all shoes with heel	SG20A	9006381732012	1	
Austria	GROEDEL DIAGONAL	4-point groedel with short twin points	SG30A	9006381733019	1	

MATERIAL	INCLUDED FEATURES	ADDITIONAL FEATURES	BINDING OPTIONS	WEIGHT G	STANDARDS
					
● hardened steel	strap	antibot	concept	640	EN 893
● hardened steel	strap	-	concept	800	-
● hardened steel	strap, antibot	-	kombi	860	-
textile	-	-	-	-	-
plastic	-	-	-	-	-
hardened steel	-	-	-	-	-
hardened steel	-	-	-	-	-
hardened steel	long	-	-	-	-
hardened steel	-	-	-	-	-
hardened steel	-	-	-	-	-
plastic	4 pcs./pair	-	-	-	-
plastic	4 pcs./pair	-	-	-	-
vibram	1 pc./pair	-	-	-	-
vibram	1 pc./pair	-	-	-	-
vibram	2 pcs./pair	-	-	-	-

MATERIAL	INCLUDED FEATURES	ADDITIONAL FEATURES	BINDING OPTIONS	WEIGHT G	STANDARDS
					
● hardened steel	strap	-	concept	220	-
● hardened steel	strap	-	strap	155	-
● hardened steel	strap	-	strap	125	-

MOUNTAIN SPORTS



photocredit: Offground Solutions



photocredit: Klaus Kranebitter



photocredit: Klaus Kranebitter



photocredit: Klaus Kranebitter

TACTICAL & SAFETY